



भारत सरकार
GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
क्षेत्रीय कार्यालय, चंडीगढ़ / Regional Office, Chandigarh



F. No.: 16-01/2026/RO(NZ)/eFile



Dated: 24.02.2026

सेवा में,

सदस्य सचिव,
SEIAA, हरियाणा,
बेज़ नं. 55-58, पर्यटन भवन,
सेक्टर-2, पंचकुला, हरियाणा

विषय: Environment Clearance for Common Bio-Medical Waste Treatment Facility at Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana by M/s S. D. Bio Medical Waste Management Company- **Certification reg.**

सन्दर्भ: ई. सी. पत्र संख्या SEAC/HR/2024/128 Dated 21.01.2025.

महोदय,

उपरोक्त वर्णित पत्र के संदर्भ में आपके संज्ञान में लाया जाता है की उपरोक्त परियोजना का निरीक्षण इस कार्यालय द्वारा दिनांक 05.02.2026 को किया गया था। उक्त परियोजना की विस्तृत मॉनिटरिंग रिपोर्ट निम्नलिखित गैर-अनुपालन (non-compliance) बिंदुओं सहित अग्रिम कार्यवाही हेतु संलग्न हैं:

1. During visit PP failed to provide the copy of the emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan.
2. During visit it was noticed that no First Aid room is available at the project site and PP failed to provide the occupational health surveillance record of the construction workers.
3. During visit PP failed to provide the copy of the environmental policy duly approve by the Board of Directors and also failed to provide the copy of the structure for separate Environmental Cell both at the project and company head quarter level.
4. During visit PP failed to provide the action plan for implementing EMP and environmental conditions along with responsibility matrix of the company.
5. During visit it was noticed that PP's website was non functional, that's why status of compliance of the stipulated environment clearance conditions, including results of monitored data was not verified.
6. During visit it was noticed that PP has not displayed any critical sectoral parameters, at a convenient location near the main gate of the company in the public domain.
7. During visit it was noticed that no anti smoke gun is installed at the project site.

भवदीय,

संलग्नक: उपरोक्तानुसार।

(डॉ. धर्मेन्द्र कुमार गुप्ता)

निदेशक / वैज्ञानिक 'एफ'

प्रति :

1. निदेशक, (Compliance and Monitoring Division-IA Division), पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय, जोर बाग रोड, नई दिल्ली।
2. सदस्य सचिव, हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड, C-11, सेक्टर- 6, पंचकुला, हरियाणा- 134109.
3. अधिकृत हस्ताक्षरकर्ता, M/s S. D. Bio Medical Waste Management Company, Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana.

Ministry of Environment, Forest & Climate Change
Regional Office, Chandigarh,
MONITORING REPORT
PART – I
DATA SHEET

1	Project Type: River-valley/Mining/Industry/Thermal/Nuclear/Other (Specify)	Other (Bio-Medical Waste Treatment Facilities)
2	Schedule and category of the Project as per EIA Notification, 2006	Category 7(da)
3	Category of the project as per CPCB Guidelines (Red/Orange/Green)	Red
4	Name of the project and project proponent	Common Bio-Medical Waste Treatment Facility at Plot No. 79, Phase-III, Sector-30 D, Industrial Model Township, Rohtak, Haryana by M/s S.D. Bio Medical Waste Management Company.
5	Clearance Letter(s)/OM No. and date (Chronological Order)	SEAC/HR/2024/128 Dated 21.01.2025
6	Location: (a) District(s) (b) State(s) (c) Latitude/Longitude	Rohtak, Haryana 28°51'35.79"N / 76°41'12.86"E 28°51'35.71"N / 76°41'11.14"E 28°51'38.83"N / 76°41'11.09"E 28°51'38.77"N / 76°41'12.72"E
7	Address for correspondence: (a) Address of Project Chief Engineer (Address, Pin code, Phone, Email) (b) Address of Executive Project Engineer/Manager (Address, Pin code, Phone, Email)	Plot No. 79, Phase-III, Sector-30 D, Industrial Model Township, Rohtak, Haryana
8	Salient features: (a) Of the Project (b) Of the Environmental Management Plan	M/s S.D. Bio Medical Waste Management Company has proposed a project for setting up the Common Bio-medical Waste Treatment Facility which includes Incinerator, Autoclave, Shredder, Chemical Disinfection and Effluent Treatment Plant. • Total Plot Area: 4050 Sq. m. (1.00 Acres) • Proposed Capacity: • Incinerator- 100 kg/hr + 100 kg/hr (standby) • Autoclave- 50 kg/batch + 50 kg/batch (standby) • Shredder- 50 kg/hr • Chemical Disinfection- 1.5 Tons/day • Effluent treatment plant- 5 KLD
9	Break-up of the Project Area: (a) Submergence Area – Forest & Non-Forest (b) Others	Project is located in Industrial Model Township, Rohtak.
10	(a) Total Plot Area	4050 Sq. m. (1.00 Acres)
	(b) Built-up Area (including roads)	Not provided by the PP.
	(c) Open Space available	Not provided by the PP.
	(d) Green belt area	1,377 Sq. m. (34% of total plot area)
11	Financial Details: (a) Project costs as originally planned &	As per EC: Rs. 937 Lacks (approx.).

	subsequent revised estimates and the year of price reference. (b) Allocations made for Environmental Management Plan with item wise & year wise breakup. (c) Actual expenditure incurred on the Project so far. (d) Actual expenditure incurred on the Environmental Management Plan so far.	Capital Cost: 76.50 Lakhs Recurring Cost: 13.40 Lakhs Not provided by the PP. Not provided by the PP.
12	Forest land requirement: (a) The status of approval for diversion of Forestland for non-forestry use	N/A
13	Whether project is located in Critically Polluted Area/Severely Polluted Area	As per PP the project located in Industrial Model Township, Rohtak
14	Status of construction: (a) Date of commencement (Actual and/or Planned) (b) Date of completion (Actual and/or Planned)	As per PP: 17.03.2025. Project is in Construction Phase.
15	Production details as per EC&CTO:	Project is in Construction Phase.
16	Reasons for delay, if the project is yet to start	N/A
17	KML file of the project	KML is provided.
18	Status of Public Hearing Commitments	Not provided by the PP.
19	Status of R&R	Not provided by the PP.
20	Dates of site visits: (a) The dates on which the Project was monitored by Regional Office on previous occasions, if any (b) Date of site visit for this monitoring report	-- 05.02.2026.
21	Purpose of present site visit: (a) Suo moto/Random Inspection of projects by RO/SRO (b) CCR for expansion project's EC under EIA Notification 2006 (c) Verification Report (VR) of Action Taken Report (ATR) or SCN response submitted by the PP (d) Complaint received against the project (e) Reference forwarded by the Ministry which inter-alia may include PMO, VIP, Public Grievance, Parliamentary, RTI references (f) Direction by Hon'ble court or by the Ministry in various Court Matter (g) Direction from the Ministry in any other matter	Purpose of present site visit is CCR for expansion project's EC under EIA Notification 2006.
22	Pending litigation, if any, or directions issued by regulatory authority	As per PP no litigation is pending for this project.
23	Recommendations: (a) Major Non-compliance (b) Minor Non-compliance (c) Violation	Please see attached monitoring report.

**PART – II: STATUS OF COMPLIANCE &
PART-III: DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO CONDITIONS OF
ENVIRONMENTAL CLEARANCE (EC) & ENVIRONMENTAL MANAGEMENT
EC No. SEAC/HR/2024/128 Dated 21.01.2025**

1. Statutory Compliance:

S. No.	Conditions of EC	Status of Compliance
1.1	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.	Not Applicable. As per PP the project site is located in the notified industrial area of Rohtak.
1.2	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable. As per PP there is no National Park/Wildlife Sanctuary, notified Ecologically Sensitive Area within 10 KM radius of the project and also project site is located in the notified industrial area of Rohtak.
1.3	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area).	Not Applicable. As per PP there is no schedule-I species in the study area and also project site is located in the notified industrial area of Rohtak.
1.4	The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.	Noted and Assured to Comply by the PP. PP obtained CTE from HSPCB under both Water/Air Act vide No. HSPCB/Consent/:320220925 ROHCTE92822525 Dated 17.03.2025 and validity is till 16.03.2030.
1.5	Transportation and handling of Bio-medical Wastes shall be as per the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.	Noted and Assured to Comply by the PP. As this project is under construction phase (Please see photo-1, 2, 3 & 4).
1.6	Project shall fulfill all the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 including collection and transportation design etc. and also guidelines for Common Hazardous Waste Incineration - 2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common Hazardous Wastes incinerators shall be followed.	Noted and Assured to Comply by the PP. As this project is under construction phase.
1.7	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	Complied. PP has obtained permission from HSIIDC for water supplies vide Letter No. WBS/ROHTAK/ WTR/2024/77806 Dated 27.02.2024.



1.8	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP 250 kW load will be required and electricity will be supplied by UHBVN Ltd. when project get operational.
1.9	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP statutory clearance as applicable on projects shall be obtained before the operation of the project. *PP obtained Fire Scheme approval from DG, Fire Services, Haryana vide Memo No. FS/2024/1624 Dated 11.12.2024.
2. Air Quality Monitoring And Preservation		
2.1	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP emission monitoring system to monitor stack emission will be installed as per standards prescribed in Environment (Protection) Rules 1986 before completion of the project.
2.2	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP when the project gets operational, additional parameters including VOC and HC shall be monitored. During visit PP showed the ambient air quality monitoring report carried out at the project site by a NABL accredited Lab. which shows that the tested parameters were under permissible limit except PM10.
2.3	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3%, or their loss on ignition is less than 5% of the dry weight of the material.	Noted and Assured to Comply by the PP. As this project is under construction phase.
2.4	Venturi scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/Nm ³ .	Noted and Assured to Comply by the PP. As this project is under construction phase.
2.5	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices (quenching, Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.	Noted and Assured to Comply by the PP. As this project is under construction phase.
2.6	Masking agents should be used for odour control.	Noted and Assured to Comply by the PP. As this project is under construction phase.
3. Water Quality Monitoring And Preservation		

3.1	The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and Assured to Comply by the PP. As this project is under construction phase.
3.2	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by State Pollution Control Board. Zero discharge should be maintained.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP wastewater generated from the facility during operation phase will be treated in proposed ETP of capacity 5 KLD followed by MEE to ensure ZLD.
3.3	Process effluent/any waste water should not be allowed to mix with storm water.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP all process effluent and wastewater generated on-site will be treated in proposed ETP of capacity 5 KLD.
3.4	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	Complied. PP has obtained permission from HSIIDC for water supplies vide Letter No. WBS/ROHTAK/WTR/2024/77806 Dated 27.02.2024.
3.5	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.	Noted and Assured to Comply by the PP. As this project is under construction phase.
3.6	A certificate from the competent authority for discharging treated effluent/untreated effluents into the Public sewer/disposal/drainage systems along with the final disposal point should be obtained.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
3.7	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.	Noted and Assured to Comply by the PP. As this project is under construction phase.
3.8	Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground water abstraction points and records for the same shall be maintained regularly.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
3.9	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Noted and Assured to Comply by the PP. As this project is under construction phase.
4. Noise Monitoring And Prevention		
4.1	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Complied. During visit PP showed the ambient noise level test report from a NABL accredited Lab. which shows that the tested parameters were under permissible limit.
5. Energy Conservation Measures		
5.1	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
5.2	Provide LED lights in their offices and residential areas.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
6. Waste Management		

6.1	Incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
6.2	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
6.3	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
6.4	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016	Noted and Assured to Comply by the PP. As this project is under construction phase.
6.5	No landfill site is allowed within the CBWTF site.	Noted and Assured to Comply by the PP. As this project is under construction phase.
6.6	The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCB/SPCB.	Noted and Assured to Comply by the PP. As this project is under construction phase.
7. Green Belt		
7.1	Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Noted and Assured to Comply by the PP. As this project is under construction phase. During visit it was noticed that PP has planted some trees which are very few in numbers. PP has advised that to plant more native species plant before completion of the construction and operation.
8. Public Hearing And Human Health Issues		
8.1	Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.	Noted and Assured to Comply by the PP. As this project is under construction phase.
8.2	Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
8.3	Necessary provision shall be made for fire-fighting facilities within the complex.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
8.4	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Non Complied. During visit PP failed to provide the copy of the emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan.
8.5	Emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or environment from fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.

8.6	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Partial Complied. As per PP temporary housing facilities have been set up and are equipped with essential infrastructure, including temporary toilets, and access to safe drinking water. During visit it was noticed that no First Aid room is available at the project site.
8.7	Occupational health surveillance of the workers shall be done on a regular basis.	Non Complied. During visit PP failed to provide the occupational health surveillance record of the construction workers.
8.8	Corporate Environment Responsibility The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No.22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP Rs. 20 Lakhs has been reserved for adoption of nearby Government school for improvement of infrastructure under CER activity and it will be done before commencing of the project.
8.9	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Non Complied. During visit PP failed to provide the copy of the environmental policy duly approve by the Board of Directors.
8.10	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Non Complied. During visit PP failed to provide the copy of the structure for separate Environmental Cell both at the project and company head quarter level.
8.11	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Partial Complied. As per PP action plan for the implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions will be prepared and incorporated, Rs. 45000 has already been spent on plantation and Environmental Monitoring. During visit PP failed to provide the action plan for implementing EMP and environmental conditions along with responsibility matrix of the company.
8.12	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied after operation of the project.
9. Miscellaneous		
9.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or	Complied. During visit PP showed the news paper cutting in

	State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	which granted EC was advertised.
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Complied. As per PP they already submitted the copy of the granted EC to the Heads of local bodies, Panchayats and Municipal Bodies within stipulated time.
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Non Complied. During visit it was noticed that PP's website was non functional, that's why status of compliance of the stipulated environment clearance conditions, including results of monitored data was not verified.
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Complied. As per PP six monthly compliance report on the status of the compliance of the stipulated environmental condition is being submitted to the website of the ministry of Environment, Forest and Climate Change at environment clearance portal on regular basis.
9.5	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and / or shareholder's/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Non Complied. During visit PP failed to provide the copy of the environmental policy duly approve by the Board of Directors.
9.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Non Complied. During visit PP failed to provide the copy of the structure for separate Environmental Cell both at the project and company head quarter level.
9.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Partial Complied. As per PP action plan for the implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions will be prepared and incorporated, Rs. 45000 has already been spent on plantation and Environmental Monitoring. During visit PP failed to provide the action plan for implementing EMP and environmental conditions along with responsibility matrix of the company.
9.8	Self-environmental audit shall be conducted	Noted and Assured to Comply by the PP. As

	annually. Every three years third party environmental audit shall be carried out.	this project is under construction phase. As per PP it will complied after operation of the project.
9.9	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied during operational phase of the project.
9.10	The criteria pollutant levels namely; PM2.5, PM10, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Non Complied. During visit it was noticed that PP has not displayed any critical sectoral parameters, at a convenient location near the main gate of the company in the public domain.
9.11	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
9.12	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and Assured to Comply by the PP. As this project is under construction phase.
9.13	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted and Assured to Comply by the PP.
9.14	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed and Noted by the PP.
9.15	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed and Noted by the PP.
9.16	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed and Noted by the PP.
9.17	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Agreed and Noted by the PP.
9.18	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Complied. During visit PP showed the necessary documents available with them and cooperated.
9.19	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project. *PP obtained CTE from HSPCB under both

	(Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/High Courts/NGT and any other Court of Law relating to the subject matter.	Water/Air Act vide No. HSPCB/Consent/:32022 0925ROHCTE92822525 Dated 17.03.2025 and validity is till 16.03.2030.
9.20	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed and Noted by the PP.
10. Specific Conditions		
10.1	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.2	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
10.3	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA.	Noted and Assured to Comply by the PP. As this project is under construction phase. PP has obtained permission from HSIIDC for water supplies vide Letter No. WBS/ROHTAK/ WTR/2024/77806 Dated 27.02.2024.
10.4	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area.	Noted and Assured to Comply by the PP.
10.5	The PP shall take all measures to control the smell coming out of the project.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.6	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.7	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.	Agreed and Noted by the PP.
10.8	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP emission monitoring system to monitor stack emission will be installed as per standards prescribed in Environment (Protection) Rules 1986 before completion of the project.
10.9	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will complied before operation of the project.
10.10	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.11	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.12	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.13	The PP shall implement the bar coding system as per the approved MoU dated 23.05.2019 in compliance	Noted and Assured to Comply by the PP. As this project is under construction phase.

	with BMW Rules 2016 (and its further amendments)	As per PP it will comply before operation of the project.
10.14	The BOD value of ETP shall be maintained below 10 ppm.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.15	The PP shall get project electrification plan approved from the competent authority before operation of the project.	Noted and Assured to Comply by the PP. As this project is under construction phase.
10.16	The PP shall carry out plantation of saplings in the proposed green area as a part of the tree plantation campaign "Ek Ped Maa Ke Naam" and shall upload the details of the same in the Meri LiFE Portal (http://merilife.nic.in).	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
10.17	Total green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area is 486 m ² (12% of total area).	Noted and Assured to Comply by the PP. As this project is under construction phase. During visit it was noticed that PP has planted some trees which are very few in numbers. PP has advised that to plant more native species plant before completion of the construction and operation.
10.18	The PP shall install 15 KWH Solar power plant at the project site.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
10.19	The PP shall install required number of Anti-Smog Guns at the project site as per the requirement of HSPCB.	Non Complied. During visit it was noticed that no anti smoke gun is installed at the project site.
10.20	The PP shall register themselves on the http://dustapphspcb.com portal as per the Direction No. 14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas.	Complied. As per PP they already registered on the Dust Pollution Control Self Assessment portal of HSPCB.
10.21	The Project Proponent will adopt nearby government school for improvement of infrastructure with a budget of 20 lakhs.	Noted and Assured to Comply by the PP. As this project is under construction phase. As per PP it will comply before operation of the project.
10.22	The Project Proponent will use PNG.	Noted and Assured to Comply by the PP. As this project is under construction phase.

Concluding Remarks:

PP obtained CTE from HSPCB under both Water/Air Act. vide No. HSPCB/Consent/:32022 0925ROHCTE92822525 Dated 17.03.2025 and validity is till 16.03.2030.

It is evident from the above review report that the project is under initial phase of construction of the unit, during the site inspection on 05.02.2026, construction activities were going on.

The major observations are as follow:


1. During visit PP failed to provide the copy of the emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan.
2. During visit it was noticed that no First Aid room is available at the project site and PP failed to provide the occupational health surveillance record of the construction workers.

3. During visit PP failed to provide the copy of the environmental policy duly approve by the Board of Directors and also failed to provide the copy of the structure for separate Environmental Cell both at the project and company head quarter level.
4. During visit PP failed to provide the action plan for implementing EMP and environmental conditions along with responsibility matrix of the company.
5. During visit it was noticed that PP's website was non functional, that's why status of compliance of the stipulated environment clearance conditions, including results of monitored data was not verified.
6. During visit it was noticed that PP has not displayed any critical sectoral parameters, at a convenient location near the main gate of the company in the public domain.
7. During visit it was noticed that no anti smoke gun is installed at the project site.

(Signature)

(Dr. Dharmendra Kumar Gupta)
Director/Scientist 'F'

Photographs taken during the site inspection:



(Signature)

Half Yearly Compliance Report**2025****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name		Common Bio-Medical Waste Treatment Facility proposed by M/s SD Biomedical Waste Management Co.																	
Name of Entity / Corporate Office		S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY																	
Village(s)		Baliana(58)																	
District		ROHTAK																	
<table><tr><td>Proposal No.</td><td>SIA/HR/INFRA2/483446/2024</td></tr><tr><td>Plot / Survey / Khasra No.</td><td>Plot no. 79, Phase III IMT, Rohtak</td></tr><tr><td>State</td><td>HARYANA</td></tr><tr><td>MoEF File No.</td><td></td></tr></table>		Proposal No.	SIA/HR/INFRA2/483446/2024	Plot / Survey / Khasra No.	Plot no. 79, Phase III IMT, Rohtak	State	HARYANA	MoEF File No.		<table><tr><td>Category</td><td>INFRA-2</td></tr><tr><td>Sub-District</td><td>Sampla</td></tr><tr><td>Entity's PAN</td><td>*****1038A</td></tr><tr><td>Entity name as per PAN</td><td>S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY</td></tr></table>		Category	INFRA-2	Sub-District	Sampla	Entity's PAN	*****1038A	Entity name as per PAN	S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY
		Proposal No.	SIA/HR/INFRA2/483446/2024																
		Plot / Survey / Khasra No.	Plot no. 79, Phase III IMT, Rohtak																
		State	HARYANA																
		MoEF File No.																	
Category	INFRA-2																		
Sub-District	Sampla																		
Entity's PAN	*****1038A																		
Entity name as per PAN	S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY																		

Compliance Reporting Details**Reporting Year** 2025**Remarks (if any)****Reporting Period** 01 Jun(01 Oct - 31 Mar)**Details of Production and Project Area****Name of Entity / Corporate Office** S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0.40468	0.40468
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	0.40468	0.40468

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Common Bio-Medical Waste Treatment Facility	Others:NA	N/A	NA	NA	

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB
PPs Submission: Agreed to Comply Noted and will be complied as per the guidelines of SPCB/CPCB.		Date: 21/07/2025
2	Statutory compliance	The PP shall take all measures to control the smell coming out of the project.
PPs Submission: Being Complied Noted and all required measures will be followed to control the smell coming out of the project.		Date: 21/07/2025
3	Statutory compliance	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies
PPs Submission: Complied PP has obtained all required clearances, permissions, and approvals from the relevant regulatory authorities prior to the commencement of project.		Date: 21/07/2025
4	Statutory compliance	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA
PPs Submission: Being Complied Water will be supplied by HSIIDC and Consent to Establish has been obtained (currently project is in construction phase).		Date: 21/07/2025
5	Statutory compliance	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area
PPs Submission: Agreed to Comply Parking will be fully internalized.		Date: 21/07/2025
6	Statutory compliance	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
7	Statutory compliance	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories
PPs Submission: Agreed to Comply Same will be complied when project get operational.		Date: 21/07/2025
8	Statutory compliance	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year

PPs Submission: Being Complied Same will be strictly followed.		Date: 21/07/2025
9	Statutory compliance	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF
PPs Submission: Being Complied PP will comply with all orders and other necessary directions issued by any other competent authority for CBWTF		Date: 21/07/2025
10	Statutory compliance	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
11	Statutory compliance	The PP shall implement the bar coding system as per the approved MoU dated 23.05.2019 in compliance with BMW Rules 2016 (and its further amendments)
PPs Submission: Agreed to Comply PP will implement bar coding system for the handling, transportation and disposal of bio-medical waste (BMW) in full compliance with the Bio-Medical Waste Management Rules, 2016		Date: 21/07/2025
12	Statutory compliance	The BOD value of ETP shall be maintained below 10 ppm
PPs Submission: Agreed to Comply Noted. Regular monitoring shall be conducted once the ETP installed and get operated to ensure BOD value remain below 10ppm.		Date: 21/07/2025
13	Statutory compliance	The PP shall carry out plantation of saplings in the proposed green area as a part of the tree plantation campaign Ek Ped Maa Ke Naam and shall upload the details of the same in the Meri LiFE Portal (http://merilife.nic.in).
PPs Submission: Agreed to Comply Plantation shall be carried as per the EC letter and details will be upload in the in the Meri LiFE Portal.		Date: 21/07/2025
14	Statutory compliance	The PP shall install 15 KWH Solar power plant at the project site
PPs Submission: Agreed to Comply Agreed to comply.		Date: 21/07/2025
15	Statutory compliance	The PP shall register themselves on the http://dustapphspcb.com portal as per the Direction No.14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
16	Statutory compliance	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance

PPs Submission: Being Complied PP ensures that project activities strictly adhere to the approved EC.		Date: 21/07/2025
17	Statutory compliance	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers
PPs Submission: Agreed to Comply Agreed to comply.		Date: 21/07/2025
18	Statutory compliance	The PP shall get project electrification plan approved from the competent authority before operation of the project.
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
19	Statutory compliance	Total green area of the project is 1,377 m2 (34 percent of total plot area) in which block plantation area is 486 m2 (12 percent of total area)
PPs Submission: Agreed to Comply Noted. Adequate green belt will be developed at project premises.		Date: 21/07/2025
20	Statutory compliance	The PP shall install the required number of Anti-Smog Guns at the project site as per the requirement of HSPCB
PPs Submission: Agreed to Comply Noted		Date: 21/07/2025
21	Statutory compliance	The Project Proponent will adopt nearby government school for improvement of infrastructure with a budget of 20 lakhs
PPs Submission: Agreed to Comply Noted		Date: 21/07/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	ENERGY PRESERVATION MEASURES	Provide LED lights in their offices and residential areas
PPs Submission: Being Complied Noted		Date: 21/07/2025
2	PUBLIC HEARING	Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
3	MISCELLANEOUS	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out

PPs Submission: Agreed to Comply Noted and will be complied.		Date: 21/07/2025
4	Statutory compliance	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
PPs Submission: Complied Not applicable There is no National Park/Wildlife Sanctuary, notified Ecologically Sensitive Area within 10 KM radius of the project.		Date: 21/07/2025
5	Statutory compliance	The project proponent shall prepare a Site-Specific Conservation Plan and Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area)
PPs Submission: Complied Not applicable There is no schedule-I species in the study area.		Date: 21/07/2025
6	Statutory compliance	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air(Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee
PPs Submission: Complied Complied. Consent to Establish (CTE) has been obtained from the provisions of Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board. Copy of CTE is attached as Annexure II.		Date: 21/07/2025
7	Statutory compliance	Transportation and handling of Bio-medical Wastes shall be as per the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.
PPs Submission: Agreed to Comply Noted. Transportation and handling of bio-medical waste by PP will be carried out in full compliance with the provisions outlined in the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989. Currently project is in construction phase.		Date: 21/07/2025
8	Statutory compliance	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
PPs Submission: Complied Not applicable Project site is located in notified industrial area.		Date: 21/07/2025
9	Statutory compliance	Project shall fulfill all the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 including collection and transportation design etc. and also guidelines for Common Hazardous Waste Incineration - 2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common Hazardous Wastes incinerators shall be followed.
PPs Submission: Agreed to Comply		Date:

Agreed to comply. Project is committed to full compliance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, including all design, collection, and transportation-related provision		21/07/2025
10	Statutory compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project
PPs Submission: Being Complied Complied. Total water requirement for the project is 6.2 KLD and is being supplied by HSIIDC Water supply.		Date: 21/07/2025
11	Statutory compliance	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
PPs Submission: Agreed to Comply Noted. 250 kW load will be required and electricity will be supplied by Uttar Haryana Bijli Vitran Nigam Limited when project get operational.		Date: 21/07/2025
12	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities
PPs Submission: Agreed to Comply Noted. Statutory clearance as applicable on projects shall be obtained before the operation of the project.		Date: 21/07/2025
13	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories
PPs Submission: Agreed to Comply Agreed. Emission monitoring system including Dioxin and furans to monitor stack emission will be installed as per standards prescribed in Environment (Protection) Rules 1986. Currently project is in initial stage of construction.		Date: 21/07/2025
14	AIR QUALITY MONITORING AND PRESERVATION	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out
PPs Submission: Agreed to Comply Agreed to comply. When the project get operational same will be complied. Currently, ambient air quality monitoring report of project site is enclosed as Annexure-III		Date: 21/07/2025
15	AIR QUALITY MONITORING AND PRESERVATION	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3 percent, or their loss on ignition is less than 5 percent of the dry weight of the material
PPs Submission: Agreed to Comply Noted and will be complied during operational phase.		Date:

		21/07/2025
16	AIR QUALITY MONITORING AND PRESERVATION	Venturi scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/Nm ³ .
PPs Submission: Agreed to Comply Noted and will be complied with the same during operational phase. Presently the project is in construction phase.		Date: 21/07/2025
17	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices (quenching, Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.
PPs Submission: Agreed to Comply Agreed to comply.		Date: 21/07/2025
18	AIR QUALITY MONITORING AND PRESERVATION	Masking agents should be used for odour control.
PPs Submission: Agreed to Comply Same will be followed during operational phase.		Date: 21/07/2025
19	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
PPs Submission: Agreed to Comply Noted and will be complied.		Date: 21/07/2025
20	WATER QUALITY MONITORING AND PRESERVATION	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by State Pollution Control Board. Zero discharge should be maintained
PPs Submission: Agreed to Comply Noted. Wastewater generated from the facility during operation phase will be treated in proposed ETP of capacity 5 KLD.		Date: 21/07/2025
21	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any waste water should not be allowed to mix with storm water.
PPs Submission: Agreed to Comply Agreed to comply. All process effluent and wastewater generated on-site will be treated in proposed ETP of capacity 5 KLD.		Date: 21/07/2025
22	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.

PPs Submission: Agreed to Comply Noted. Total water requirement for the project is 6.2 KLD and will be supplied by HSIIDC Water supply		Date: 21/07/2025
23	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.
PPs Submission: Agreed to Comply Only 1.4 KLD domestic wastewater shall be generated during operational phase which will be treated in proposed septic tank.		Date: 21/07/2025
24	WATER QUALITY MONITORING AND PRESERVATION	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/disposal/drainage systems along with the final disposal point should be obtained.
PPs Submission: Agreed to Comply Agreed to comply. Certificate from the competent authority will be obtained from concerned authority for discharging treated/untreated effluents into public sewer/disposal/drainage systems, including the final disposal point.		Date: 21/07/2025
25	WATER QUALITY MONITORING AND PRESERVATION	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.
PPs Submission: Agreed to Comply Noted and same will be followed during operational phase.		Date: 21/07/2025
26	WATER QUALITY MONITORING AND PRESERVATION	Magnetic flow meters shall be provided at the inlet and outlet of the ETP and all ground water abstraction points and records for the same shall be maintained regularly.
PPs Submission: Agreed to Comply Noted. Magnetic flow meters will be installed at both the inlet and outlet of the Effluent Treatment Plant (ETP) as well as at all designated ground water abstraction points.		Date: 21/07/2025
27	WATER QUALITY MONITORING AND PRESERVATION	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.
PPs Submission: Agreed to Comply Same will be complied when project gets operational.		Date: 21/07/2025
28	WASTE MANAGEMENT	The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCB/SPCB.
PPs Submission: Agreed to Comply Agreed to comply. Hazardous waste generated from project activities will be stored strictly in accordance with the quantity limits permitted by the Central Pollution Control Board (CPCB) and/or State Pollution Control Board (SPCB).		Date: 21/07/2025
29	PUBLIC HEARING	Necessary provision shall be made for fire-fighting facilities within the complex
PPs Submission: Agreed to Comply Fire-fighting provisions have been proposed within the complex in accordance with applicable fire safety norms and standards		Date: 21/07/2025

30	PUBLIC HEARING	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
31	PUBLIC HEARING	Emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or environment from fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.
PPs Submission: Agreed to Comply Agreed to comply. An emergency response plan will be prepared in consultation with the State Pollution Control Board (SPCB) and the Central Pollution Control Board (CPCB).		Date: 21/07/2025
32	PUBLIC HEARING	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization
PPs Submission: Agreed to Comply Noted and it will be incorporated soon.		Date: 21/07/2025
33	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.
PPs Submission: Complied Complied. Noise levels are within prescribed limits. For reference monitoring report is attached.		Date: 21/07/2025
34	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
PPs Submission: Agreed to Comply Will be complied. Solar lights, LED lights, energy efficient equipment are proposed at site.		Date: 21/07/2025
35	WASTE MANAGEMENT	Incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.
PPs Submission: Complied 0.29 T/Annum of Sludge from wet scrubber and 37.2 T/Annum of ash from incinerator and flue gas cleaning residue are being disposed to GEPIL for secured Landfill. Agreement with GEPIL is attached as Annexure-VII		Date: 21/07/2025
36	WASTE MANAGEMENT	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.
PPs Submission: Agreed to Comply It will be managed as per Solid Waste Management Rules, 2016.		Date: 21/07/2025
37	WASTE MANAGEMENT	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from

		project
PPs Submission: Agreed to Comply Noted and will be complied.		Date: 21/07/2025
38	WASTE MANAGEMENT	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016
PPs Submission: Being Complied Being complied. Construction and demolition waste generated from project-related activities is managed in strict accordance with the Construction and Demolition Waste Management Rules, 2016		Date: 21/07/2025
39	WASTE MANAGEMENT	No landfill site is allowed within the CBWTF site
PPs Submission: Complied Landfill is not proposed at the site.		Date: 21/07/2025
40	GREENBELT	Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33 percent of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant
PPs Submission: Agreed to Comply Will be complied. Total proposed green area of the project is 1,377 m2 (34 percent of total plot area) in which block plantation area is 486 m2 (12 percent of total area).		Date: 21/07/2025
41	PUBLIC HEARING	Proper parking facility should be provided for employees and transport used for collection and disposal of waste materials
PPs Submission: Agreed to Comply Same will be complied during operational phase.		Date: 21/07/2025
42	PUBLIC HEARING	Occupational health surveillance of the workers shall be done on a regular basis.
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
43	PUBLIC HEARING	Corporate Environment Responsibility The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
PPs Submission: Agreed to Comply Rs. 20 Lakhs has been reserved for Adoption of nearby Government school for improvement of infrastructure under CER activity.		Date: 21/07/2025
44	PUBLIC HEARING	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest/wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation /violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this

		regard shall be submitted to the MoEF and CC as a part of six-monthly report.
PPs Submission: Agreed to Comply Same will be complied soon.		Date: 21/07/2025
45	PUBLIC HEARING	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
PPs Submission: Agreed to Comply Action Plan for the implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions will be prepared and incorporated.		Date: 21/07/2025
46	PUBLIC HEARING	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
PPs Submission: Agreed to Comply Noted and will be followed same		Date: 21/07/2025
47	PUBLIC HEARING	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project
PPs Submission: Agreed to Comply Complied. Temporary housing facilities have been set up and are equipped with essential infrastructure, including fuel sources for cooking, mobile toilets, mobile, access to safe drinking water and on-site medical healthcare services.		Date: 21/07/2025
48	MISCELLANEOUS	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF and CC/SEIAA website where it is displayed
PPs Submission: Complied Complied. Newspaper advertisement was given in the public domain. For reference copy of advertisement is attached as ANNEXURE- IV		Date: 21/07/2025
49	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
PPs Submission: Complied The copies of the environmental clearance has been submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government		Date: 21/07/2025
50	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of

		monitored data on their website and update the same on half-yearly basis.
PPs Submission: Being Complied Noted and shall be compiled.		Date: 21/07/2025
51	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal
PPs Submission: Complied Complied. Six monthly compliance report on the status of the compliance of the stipulated Environmental condition is being submitted to the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.		Date: 21/07/2025
52	MISCELLANEOUS	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/ violation of the environmental/forest/wildlife norms / conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF and CC as a part of six-monthly report.
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
53	MISCELLANEOUS	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
PPs Submission: Agreed to Comply Agreed to comply.		Date: 21/07/2025
54	MISCELLANEOUS	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
PPs Submission: Agreed to Comply Noted. Environmental Cell will be established soon.		Date: 21/07/2025
55	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company

PPs Submission: Agreed to Comply Noted and will be followed same during operational phase.		Date: 21/07/2025
56	MISCELLANEOUS	The criteria pollutant levels namely; PM2.5, PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
PPs Submission: Agreed to Comply Ambient air quality monitoring has been monitored and same shall be displayed near the main gate.		Date: 21/07/2025
57	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project
PPs Submission: Agreed to Comply Noted.		Date: 21/07/2025
58	MISCELLANEOUS	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government
PPs Submission: Being Complied Stipulations made by the State Pollution Control Board and the State Government shall be strictly adhered.		Date: 21/07/2025
59	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee
PPs Submission: Complied Noted. Public hearing was not applicable to the project as the project is proposed at a notified industrial area.		Date: 21/07/2025
60	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF and CC).
PPs Submission: Being Complied Noted.		Date: 21/07/2025
61	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Being Complied Noted.		Date: 21/07/2025
62	MISCELLANEOUS	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory
PPs Submission: Being Complied Noted.		Date: 21/07/2025

63	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions
PPs Submission: Being Complied Noted.		Date: 21/07/2025
64	MISCELLANEOUS	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
PPs Submission: Being Complied Noted		Date: 21/07/2025
65	MISCELLANEOUS	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India /High Courts/NGT and any other Court of Law relating to the subject matter.
PPs Submission: Being Complied Agreed and noted.		Date: 21/07/2025
66	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Being Complied Noted.		Date: 21/07/2025
Visit Remarks		
Last Site Visit Report Date:		N/A
Additional Remarks:		
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.		

S.D.BIOMEDICAL WASTE MANAGEMENT CO

Auth. by HSPCB for Collection, Transportation, Storage,
treatment & Disposal of bio-medical waste
Plot no 79 , Phase III, Sector 30 D, Industrial Model Township Rohtak

E-mail : sdrtk43@yahoo.com, Mobile No. 8053366000

To

The Joint Director,
Ministry of Environment, Forests and Climate Change,
Regional Office (North)
Government of India
Bay No. 24-25, Sector -31A
Chandigarh


Sub: Six monthly Compliance Report of "Common Bio-Medical Waste Treatment Facility by
M/s S.D. Bio Medical Waste Management Company" for period ending 30.09.2025.

Sir,

This is in response to the File No: SEAC/HR/2024/128 dated: 21.01.2025. I am hereby submitting the Six Monthly "Compliance Report" (December-2025) and "Environmental Monitoring Report" of M/s S.D. Bio Medical Waste Management Company for the project Common Bio-Medical Waste Treatment Facility located at Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana for your kind perusal.

Thanks and Regards

S.D. Bio Medical Waste Management Co.
Authorized Signatory


Auth. Signatory

CC:

1. Chairman, State Environment Impact Assessment Authority, Bay's No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
2. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.

Enclosures: -

1. Compliance Report.
2. Environment Monitoring Report.

SIX MONTHLY ENVIRONMENT COMPLIANCE REPORT
of
Common Bio-Medical Waste Treatment Facility
for
(Period Ending – 30.09.2025)



PROJECT LOCATION

**Plot No. 79, Phase-III, Sector-30 D, Industrial Model Township, Rohtak,
Haryana**

SUBMITTED BY

S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY

DECEMBER-2025

TABLE OF CONTENT

SR. NO.	DESCRIPTION	PAGE NO.
Chapter - 1	Introduction	3-4
1.1	Brief of the project	3
1.2	Purpose of the Report	4
Chapter- 2	Data Sheet	6-10
Chapter- 3	Compliance Report	
3.1	Point-wise reply of the conditions for Environment Clearance	11-22
ANNEXURE		
I	Environmental Clearance	
II	Consent to Establish (CTE)	
III	Environment Monitoring Report (EMR)	
IV	Newspaper advertisement	
V	Certificate- Pollution Under Control (PUC)	
VI	Site photographs	
VII	GEPIL Agreement	
VIII	Screenshot showing registration in http://dustapphspcb.com portal	

CHAPTER-1

INTRODUCTION

1.1 BRIEF OF THE PROJECT: -

The project/activity is covered under Category 'B1' of item 7(da); Common Bio-Medical Waste Treatment Facility by M/s S. D. Bio Medical Waste Management Company located in Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana submitted to the State Expert Appraisal Committee (SEAC) constituted by MoEF & CC, GoI for grant of Environmental Clearance under the EIA notification dated 14.09.2006. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, EIA report and the additional clarifications furnished in response to the observations of the SEIAA, Haryana.

1.1.1 SALIENT FEATURE OF THE PROJECT: -

MoEF&CC vide proposal number	SIA/HR/INFRA2/483446/2024			
File No.	SEAC/HR/2024/128			
EC Grant Date	21/01/2025			
Project type	Category 'B1' of item 7(da) Common Biomedical Waste Treatment Facilities			
Brief Description of project	Proposed project is for the establishment of Common Bio-medical Waste Treatment Facility which includes Incinerator, Autoclave, Shredder, Chemical Disinfection and Effluent Treatment Plant.			
Project Location	Plot No. 79, Phase-III, Sector-30 D, Industrial Model Township, Rohtak, Haryana			
Proposed Capacity	Sr. No.	Equipment	Number	Capacity
	1	Incinerator	2	100 kg/hr + 100 kg/hr (standby)
	2	Autoclave	2	50 kg/batch + 50 kg/batch (standby)

	3	Shredder	1	50 kg/hr
	4	Chemical Disinfection	1	1.5 Tons/day
	5	Effluent treatment plant	1	5 KLD
Total plot area	4050 sq.m (1.00 Acres)			
Water requirements	The total water requirement for the project is 6.2 KLD Source: HSIIDC Water supply			
Total cost of the project	Rs. 937 Lacs (approx.)			
Total Power requirement	250 kW (Source: Uttar Haryana Bijli Vitran Nigam Limited) To cope up with power failure, the existing DG Set of capacity 250 KVA is available			
EMP cost	Capital cost: Rs. 76.50 Lakhs and Recurring Cost: Rs. 13.40 Lakhs			
CER cost	Adoption of nearby Government school for improvement of infrastructure - Rs. 20 lakhs			
Institutional mechanism for Env. Protection	Incinerator shall be attached with APCD and online monitoring system. DG set shall be attached with stack as per CPCB norms. Operation of all the installations shall meet the prescribed standards of point source emission			
Green Belt	Total green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area is 486 m ² (12% of total area).			

1.2 **PURPOSE OF THE REPORT:** -

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st June and 1st December of each calendar year” and as per compliance of condition mentioned in Environment Clearance Letter, Six monthly compliance reports should be submitted to the Haryana State Pollution Control Board and Regional Office, MoEF&CC, GOI, Northern Region, and a copy to the Regulatory Authority of Haryana.

It is mandatory to submit a Six-Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in the Environment clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms). The regulatory authorities in this case are Haryana Pollution Control Board, Regional Office - MoEF&CC (CHD) and SEIAA, Haryana. Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report is prepared.

Present Status of the Project: - Construction Phase

CHAPTER- 2
Data Sheet

1.	Project Type: River-valley / Mining / Industry / Thermal / Nuclear / Other (Specify)	Common Bio-medical Waste Treatment Facility
2.	Schedule and category of the Project as per EIA, 2006	• Sector- 7 (da); Common Bio-medical Waste Treatment Facility • Category B1
3.	Category of the project as per CPCB Guidelines (Red, Orange, Green)	Red
4.	Name of the project and project proponent	Project name - Common Bio-medical Waste Treatment Facility at Plot no. 79, Phase III sector 30 D, Industrial Model Township Rohtak, Haryana. Project Proponent - M/s SD Biomedical Waste Management Company.
5.	Clearance Letter (s) / OM No. and date (Chronological Order)	EC Identification No. EC24B3301HR5682909N, File No SEAC/HR/2024/128 dated 21.01.2025
6.	Location a. District (s) b. State (s) c. Latitude d. Longitude	a) Rohtak b) Haryana c) Latitude: 28°51'35.98"N d) Longitude: 76°41'12.42"E
7.	Address for correspondence a. Address of concerned Project Chief Engineer (with Pin Code & Telephone/ Telex/ Fax Numbers and Email id) & Address of Executive Project Engineer / Manager (with pin code/fax numbers and Email id)	a. Sumit Nandal s/o Sh Azad Singh Nandal, H.No 348/29, Near TVS Showroom, Tilaknagar, Rohtak, Haryana. Tel. Number: 9254251184 Email ID: Sdrtk43@yahoo.com

8.	Salient features	a.	M/s SD Bio Medical Waste Management Co has obtained the EC from SEIAA, Haryana to re-locate the existing BMW unit into the industrial area of Rohtak at Plot no. 79, Phase III sector 30 D, Industrial Model Township, Rohtak, Haryana and proposes modernization of the existing unit. ➤ Total Plot Area: 1 Acre ➤ Capacity of the Plant:																	
	a. Of the Project		<table><tr><th>Equipment</th><th>Number</th><th>Proposed Capacity</th></tr><tr><td>Incinerator</td><td>2</td><td>100 kg/hr. + 100 kg/hr.</td></tr><tr><td>Autoclave</td><td>2</td><td>50 kg/batch + 50 kg/batch</td></tr><tr><td>Shredder</td><td>1</td><td>50 kg/hr.</td></tr><tr><td>Effluent treatment plant</td><td>1</td><td>5 KLD</td></tr><tr><td>Chemical Disinfection</td><td>1</td><td>1.5 Tons/day</td></tr></table>	Equipment	Number	Proposed Capacity	Incinerator	2	100 kg/hr. + 100 kg/hr.	Autoclave	2	50 kg/batch + 50 kg/batch	Shredder	1	50 kg/hr.	Effluent treatment plant	1	5 KLD	Chemical Disinfection	1
Equipment	Number	Proposed Capacity																		
Incinerator	2	100 kg/hr. + 100 kg/hr.																		
Autoclave	2	50 kg/batch + 50 kg/batch																		
Shredder	1	50 kg/hr.																		
Effluent treatment plant	1	5 KLD																		
Chemical Disinfection	1	1.5 Tons/day																		
	b. Of the Environmental Management Plan	b.	Capital cost: Rs. 76.50 Lakhs and Recurring Cost: Rs. 13.40 Lakhs to be spent on following activities:																	

S. No.	Particulars	Capital Cost (Rs) Lakhs	Recurring Cost (Rs)Lakhs/annum
1.	Air Pollution Control & Online Monitoring Systems	15	3.0
2.	Effluent Treatment Plant, R.O, MEE and Septic tank	50	5.0
3.	Landscaping, Green belt Development	2.0	1.0
4.	Monitoring of ambient Air, Water, Soil, Noise etc. (Including yearly Dioxin & Furan Monitoring by 3 rd party)	-	1.0
5.	Occupational Health & Safety, Immunization, Health Checkups Training and PPE	1.0	0.7
6.	Provision of CCTV Camera & GPS monitoring system in transport vehicles	1.0	0.2
7.	Provision of cost for the transportation of hazardous waste (Incineration ash + ETP Sludge) to TSDF site	-	1.5
8.	Solar Panels	7.5	1.0
Total		76.5	13.4
Corporate Environment Responsibility			
9.	Budgetary Provision for Primary School Adoption at Village Bohar, District Rohtak	20.0	-
Total		96.5	13.4

9.	Break up of the Project area a. Submergence Area: Forest & Non Forest b. Others	Project is located in notified Industrial area in Rohtak Haryana.
10.	a. Total Plot Area	1 Acre.
	b. Built – Up Area (Including Road)	-
	c. Open Space available	-
	d. Green belt area	Total green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area is 486 m ² (12% of total area).
11.	Financial Details a. Project costs as originally planned & subsequent revised estimates and the year of price reference. b. Allocations made for Environmental Management Plan with item wise & year wise breakup. c. Actual expenditure incurred on the Project so far d. Actual expenditure incurred on the Environmental Management Plan so far	a. Rs. 937 lacs b. Capital cost: Rs. 76.50 Lakhs and Recurring Cost: Rs. 13.40 Lakhs c. Cost spent on project till 30.09.2025- Rs. 1.32 Cr. d. Cost spent on EMP activities till 30.09.2025- Rs. 45000 on plantation and Environmental Monitoring.
12.	Forest land requirement a. The status of approval for diversion of Forestland for non-forestry use	NA as the project is located in notified industrial area.

13.	Whether project located in Critically Polluted Area/Severely Polluted	The project is located in notified industrial area.			
14.	Status of construction a. Date of commencement (Actual and/or Planned) b. Date of completion (Actual and/or Planned)	a. 17/03/2025 b. Project is in constructional phase.			
15.	Production details as per EC & CTO	Year	Total production As per EC	Total production As per CTO	Actual Production
		Not applicable as the project is for treatment of BMW generated by Health care facilities.			
16.	Reasons for the delay if the project is yet to start	Not Applicable.			
17.	KML file of the project	Uploaded online on PARIVESH portal.			
18.	Status of Public Hearing Commitments	Not Applicable as the project is located in notified industrial area			
19.	Status of R&R	Not Applicable			
20.	Dates of site visits a. The dates on which the Project was monitored by Regional Office on previous occasions, - if any b. Date of site visit for this monitoring Report	Not Applicable			

21.	Purpose of present Site visit: a. Suo moto/ Random Inspection of projects by RO/SRO b. CCR for expansion project's EC under EIA Notification 2006 c. Verification Report (VR) of Action Taken Report (ATR) or SCN response submitted by the PP d. Complaint received against the project e. Reference forwarded by the Ministry which inter-alia may include PMO, VIP, Public Grievance, Parliamentary, RTI references f. Direction by Hon'ble court or by the Ministry in various Court Matter g. Direction from the Ministry in any other matter	-
22.	Pending litigation if any or directions issued by any regulatory authority.	No litigation pending on the project
23.	Recommendations a. Major Non-compliance b. Minor Non-Compliance c. Violation	Not Applicable

CHAPTER- 3 **COMPLIANCE REPORT**

Specific, General and Special Conditions as per the Environmental Clearance (Attached as **Annexure-I**) of Common Bio-Medical Waste Treatment Facility developed by M/s SD Biomedical Waste Management Co. located at Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana.

3.1 POINT WISE SCOPE OF WORK AS THE CONDITIONS OF ENVIRONMENT CLEARANCE:

Sr. No.	Conditions as per the EC letter	Compliance status
I	STATUTORY COMPLIANCE	
1.1	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.	Not applicable Project site is located in notified industrial area.
1.2	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable There is no National Park/Wildlife Sanctuary, notified Ecologically Sensitive Area within 10 KM radius of the project.
1.3	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area)	Not applicable There is no schedule-I species in the study area.

1.4	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air(Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee	Complied. Consent to Establish (CTE) has been obtained from the provisions of Air(Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board. Copy of CTE is attached as Annexure II .
1.5	Transportation and handling of Bio-medical Wastes shall be as per the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.	Noted. Transportation and handling of bio-medical waste by PP will be carried out in full compliance with the provisions outlined in the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989. Currently project is in construction phase.
1.6	Project shall fulfill all the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 including collection and transportation design etc. and also guidelines for Common Hazardous Waste Incineration - 2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common Hazardous Wastes incinerators shall be followed.	Agreed to comply. Project is committed to full compliance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, including all design, collection, and transportation-related provision.
1.7	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project	Complied. Total water requirement for the project is 6.2 KLD and is being supplied by HSIIDC Water supply.
1.8	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Noted. 250 kW load will be required and electricity will be supplied by Uttar Haryana Bijli Vitran Nigam Limited when project get operational.

1.9	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities	Noted. Statutory clearance as applicable on projects shall be obtained before the operation of the project.
II	AIR QUALITY MONITORING AND PRESERVATION	
2.1	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories	Agreed. Emission monitoring system to monitor stack emission will be installed as per standards prescribed in Environment (Protection) Rules 1986. Currently project is in construction phase.
2.2	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out	Agreed to comply. When the project get operational, additional parameters including VOC and HC shall be monitored. Presently the project is in construction phase. Ambient air quality monitoring carried out at project site is enclosed as Annexure-III .
2.3	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3%, or their loss on ignition is less than 5% of the dry weight of the material	Noted and will be complied during operational phase.
2.4	Venturi scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/Nm ³ .	Noted and will be complied with the same during operational phase. Presently the project is in construction phase.
2.5	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices	Agreed to comply.

	(quenching, Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.	
2.6	Masking agents should be used for odour control.	Same will be followed during operational phase.
III	WATER QUALITY MONITORING AND PREVENTION	
3.1	The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Noted and will be complied.
3.2	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by State Pollution Control Board. Zero discharge should be maintained	Noted. Wastewater generated from the facility during operation phase will be treated in proposed ETP of capacity 5 KLD followed by MEE to ensure ZLD.
3.3	Process effluent/any waste water should not be allowed to mix with storm water.	Agreed to comply. All process effluent and wastewater generated on-site will be treated in proposed ETP of capacity 5 KLD.
3.4	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	Noted. Total water requirement for the project is 6.2 KLD and will be supplied by HSIIDC Water supply
3.5	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.	Only 1.4 KLD domestic wastewater shall be generated during operational phase which will be treated in proposed septic tank.
3.6	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/disposal/drainage systems along with the final disposal point should be obtained.	Agreed to comply. No effluent shall be discharged outside the plant. Only domestic wastewater after treatment in septic tank shall be discharged in HSIIDC sewer.

3.7	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.	Noted. Leachate if generated will be treated in proposed ETP followed by MEE.
3.8	Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground water abstraction points and records for the same shall be maintained regularly.	Noted. Magnetic flow meters will be installed at both the inlet and outlet of the Effluent Treatment Plant (ETP) as well as at all designated ground water abstraction points.
3.9	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.	Same will be complied when project gets operational.
IV	NOISE MONITORING AND PREVENTION	
4.1	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	Complied. Noise levels are within prescribed limits. For reference monitoring report is attached as Annexure - III .
V	ENERGY CONSERVATION MEASURES	
5.1	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly.	Will be complied. Solar Panels, LED lights, energy efficient equipment are proposed to installed at site.
5.2	Provide LED lights in their offices and residential areas	Noted.
VI	WASTE MANAGEMENT	
6.1	Incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.	0.29 T/Annum of Sludge from wet scrubber and 37.2 T/Annum of ash from incinerator and flue gas cleaning residue are being disposed to GEPIL for secured Landfill. Agreement with GEPIL is attached as Annexure-VII
6.2	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.	It will be managed as per Solid Waste Management Rules, 2016.
6.3	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project	Noted.

6.4	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016	Being complied. Construction and demolition waste generated from project-related activities is managed in strict accordance with the Construction and Demolition Waste Management Rules, 2016.
6.5	No landfill site is allowed within the CBWTF site	Landfill is not proposed at the site.
6.6	The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCB/SPCB.	Agreed to comply. Hazardous waste generated from project activities will be stored strictly in accordance with the quantity limits permitted by the Central Pollution Control Board (CPCB) and/or State Pollution Control Board (SPCB).
VII	GREEN BELT	
7.1	Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant	Will be complied. Total proposed green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area proposed is 486 m ² (12% of total area).
VIII	PUBLIC HEARING AND HUMAN HEALTH ISSUES	
8.1	Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.	Noted.
8.2	Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials	Same will be compiled during operational phase.
8.3	Necessary provision shall be made for fire-fighting facilities within the complex	Fire-fighting provisions shall be proposed within the complex in accordance with applicable fire safety norms and standards
8.4	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted.
8.5	Emergency plan shall be drawn in consultation with SPCB/CPCB and	Agreed to comply.

	implemented in order to minimize the hazards to human health or environment from fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.	An emergency response plan will be prepared in consultation with the State Pollution Control Board (SPCB) and the Central Pollution Control Board (CPCB).
8.6	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	Complied. Temporary housing facilities have been set up and are equipped with essential infrastructure, including mobile toilets, access to safe drinking water and on-site medical healthcare services.
8.7	Occupational health surveillance of the workers shall be done on a regular basis.	Noted.
8.8	Corporate Environment Responsibility The project proponent shall comply with the provisions contained in this Ministry's OM vide F. No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.	Rs. 20 Lakhs has been reserved for Adoption of nearby Government school for improvement of infrastructure under CER activity.
8.9	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest/wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation /violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Same will be complied soon.
8.10	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior	Noted and it will be incorporated soon.

	Executive, who will directly to the head of the organization	
8.11	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report	Action Plan for the implementation of the Environmental Management Plan (EMP) and stipulated environmental conditions will be prepared and incorporated. Rs. 45000 has already been spent on plantation and Environmental Monitoring.
8.12	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Noted and will be followed same.
IX	MISCELLANEOUS	
9.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed	Complied. Newspaper advertisement was given in the public domain. For reference copy of advertisement is attached as ANNEXURE- IV
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copies of the environmental clearance was submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and shall be compiled.
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the	Complied. Six monthly compliance report on the status of the compliance of the stipulated Environmental condition

	website of the ministry of Environment, Forest and Climate Change at environment clearance portal	is being submitted to the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
9.5	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental/forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/ violation of the environmental/forest/wildlife norms / conditions and/or shareholder's/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted.
9.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Noted. Environmental Cell will be established soon.
9.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Rs. 45000 has already been spent on EMP activities till 30.09.2025- on plantation and Environmental Monitoring.
9.8	Self-environmental audit shall be conducted annually. Every three years	Noted and will be complied.

	third party environmental audit shall be carried out	
9.9	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company	Noted and will be followed same during operational phase.
9.10	The criteria pollutant levels namely; PM2.5, PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Ambient air quality monitoring has been monitored and same shall be displayed near the main gate.
9.11	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project	Noted.
9.12	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government	Stipulations made by the State Pollution Control Board and the State Government shall be strictly adhered.
9.13	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee	Noted. Public hearing was not applicable to the project as the project is proposed at a notified industrial area.
9.14	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted. No further expansion and modification in the plant will be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
9.15	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the	Noted.

	provisions of Environment (Protection) Act, 1986.	
9.16	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Noted.
9.17	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions	Noted.
9.18	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted.
9.19	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India /High Courts/NGT and any other Court of Law relating to the subject matter.	Agreed and noted.
9.20	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
X	SPECIFIC CONDITION	
10.1	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB	Noted and will be complied as per the guidelines of SPCB/CPCB.
10.2	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies	PP has obtained all required clearances, permissions, and approvals from the relevant regulatory authorities prior to the commencement of project.

10.3	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA	Water will be supplied by HSIIDC and Consent to Establish has already been obtained (currently project is in construction phase).
10.4	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area	Parking will be fully internalized.
10.5	The PP shall take all measures to control the smell coming out of the project.	Noted and all required measures will be followed to control the smell coming out of the project.
10.6	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project	Noted.
10.7	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance	PP ensures that project activities strictly adhere to the approved EC.
10.8	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers	Agreed to comply.
10.9	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories	Same will be complied when project get operational.
10.10	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year	Same will be strictly followed.
10.11	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF	PP will comply with all orders and other necessary directions issued by any other competent authority for CBWTF
10.12	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant	Noted.
10.13	The PP shall implement the bar coding system as per the approved MoU dated	PP will implement bar coding system for the handling, transportation and disposal of bio-medical waste (BMW)

	23.05.2019 in compliance with BMW Rules 2016 (and its further amendments	in full compliance with the Bio-Medical Waste Management Rules, 2016.
10.14	The BOD value of ETP shall be maintained below 10 ppm	Noted. Regular monitoring shall be conducted once the ETP installed and get operated to ensure BOD value remain below 10ppm.
10.15	The PP shall get project electrification plan approved from the competent authority before operation of the project.	Noted.
10.16	The PP shall carry out plantation of saplings in the proposed green area as a part of the tree plantation campaign "Ek Ped Maa Ke Naam" and shall upload the details of the same in the Meri LiFE Portal (http://merilife.nic.in).	Plantation shall be carried as per the EC letter and details will be upload in the in the Meri LiFE Portal.
10.17	Total green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area is 486 m ² (12% of total area)	Noted. Adequate green belt will be developed at project premises.
10.18	The PP shall install 15 KWH Solar power plant at the project site	Noted and the same will be complied.
10.19	The PP shall install the required number of Anti-Smog Guns at the project site as per the requirement of HSPCB.	Agreed to comply.
10.20	The PP shall register themselves on the http://dustapphspcb.com portal as per the Direction No.14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas.	We are registered on the http://dustapphspcb.com and complying the SPCB directions. Screenshot showing same is attached as Annexure VIII .
10.21	The Project Proponent will adopt nearby government school for improvement of infrastructure with a budget of 20 lakhs	Noted.

Annexure-I



File No: SEAC/HR/2024/128
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), HARYANA)



Date 21/01/2025



To,

S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY
Plot No. 79, Phase III, Sector 30D, Industrial Model Township, ROHTAK, HARYANA-124021.
Sdrtk43@yahoo.com

Subject: Environment Clearance for Common Bio-Medical Waste Treatment Facility at Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana by M/s S. D. Bio Medical Waste Management Company.

Sir/Madam,

This has reference to your Proposal No. **SIA/HR/INFRA2/483446/2024 dated 30.07.2024** subsequent letter dated **14.08.2024** and **02.12.2024** for obtaining **Environment Clearance** under Category **7(da)** of EIA Notification dated 14.09.2006 along with submission of due Scrutiny fee (as applicable) of **Rs. 1,00,000/- vide DD No. 002612 dated 28.03.2024.**(in compliance of Haryana Government, Environment & Climate Change, Department Notification No. DE&CCH/3060 dated 14.10.2021). The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan, ToR, EIA/EMP Report and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF & CC, GoI vide their Notification dated 21.02.2022, in its **298th meeting held on 13.08.2024.**

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24B3301HR5682909N
(ii) File No.	SEAC/HR/2024/128
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	7(da) Bio-Medical Waste Treatment Facilities Common Bio-Medical Waste Treatment Facility proposed by M/s SD Biomedical Waste Management Co.
(vii) Name of Project	S.D. BIO MEDICAL WASTE MANAGEMENT COMPANY
(viii) Name of Company/Organization	ROHTAK, HARYANA
(ix) Location of Project (District, State)	

3. It is inter-alia, noted that the project involves in the **Environment Clearance for Common Bio-Medical Waste Treatment Facility at Plot No. 79, Phase-III, Sector-30D, Industrial Model Township, Rohtak, Haryana by M/s S. D. Bio Medical Waste Management Company.**

4. The basic details of project are as under:

S.No.	Parameters	Description			
1	Identification of project	As per the MoEFCC notification dated 17th April 2015, the project falls under the Category B, Activity 7(da) for Biomedical Waste Treatment Facilities.			
2	Project proponent	M/s SD Biomedical Waste Management Company			
3	Brief Description of project	Proposed project is for of the Common Bio-medical Waste Treatment Facility which includes Incinerator, Autoclave, Shredder, Chemical Disinfection and Effluent Treatment Plant. The project is proposed at Plot no. 79, Phase III sector 30 D, Industrial Model Township, Rohtak, Haryana, for setting up Common Biomedical Waste Treatment Facility.			
4	Proposed Capacity	Sr. No.	Equipment	Number	Capacity
		1.	Incinerator	2	100 kg/hr + 100 kg/hr (standby)
		2.	Autoclave	2	50 kg/batch + 50 kg/batch (standby)
		3.	Shredder	1	50 kg/hr
		4	Chemical Disinfection	1	1.5 Tons/day
		5	Effluent treatment plant	1	5 KLD
5	Total Plot area	4050 sq.m (1.00 Acres)			
6	Site Boundaries	Plot no. 79, Phase III sector 30 D, Industrial Model Township, Rohtak, Haryana. Site Co-ordinates are: Latitude: 28°51'35.79"N Longitude: 76°41'12.86"E Latitude: 28°51'35.71"N Longitude: 76°41'11.14"E Latitude: 28°51'38.83"N Longitude: 76°41'11.09"E Latitude:28°51'38.77"N Longitude: 76°41'12.72"E			
7	Water requirements	The total water requirement for the project is 6.2 KLD Source: HSIIDC Water supply			
8	Power requirement	250 kW (Source: Uttar Haryana Bijli Vitran Nigam Limited) To cope up with power failure, existing DG Set of capacity 250 KVA is available.			
9	Manpower requirement	S. No	Type		No.
		1	Unskilled		30
		2	Semi-skilled		12
		3	Skilled		18
		Total		60	
10	Total Cost of the project.	Rs. 937 Lacs (approx.)			
11	Cost of EMP	Capital cost			76.50 lakhs
		Recurring Cost			13.40 lakhs
12	Adoption of nearby Government school for improvement of infrastructure(CER)	Rs. 20 lakhs			
13.	Green Area	Total green area of the project is 1,377 m ² (34% of total plot area) in which block plantation area is 486 m ² (12% of total area).			

EMP Budget

S. No.	Particulars	Capital Cost (Rs) Lakhs	Recurring Cost (Rs)Lakhs/annum
1.	Air Pollution Control & Online Monitoring Systems	15	3.0
2.	Effluent Treatment Plant, R.O, MEE and Septic tank	50	5.0
3.	Landscaping, Green belt Development	2.0	1.0
4.	Monitoring of ambient Air, Water, Soil, Noise etc. (Including yearly Dioxin & Furan Monitoring by 3 rd party)	-	1.0
5.	Occupational Health & Safety, Immunization, Health Checkups Training and PPE	1.0	0.7
6.	Provision of CCTV Camera & GPS monitoring system in transport vehicles	1.0	0.2
7.	Provision of cost for the transportation of hazardous waste (Incineration ash + ETP Sludge) to TSDF site	-	1.5
8.	Solar Panels	7.5	1.0
Total		76.50	13.40

EMP Budget outside the Project Site

Particular	Amount(INR Lakh)
Adoption of nearby Government school for improvement of infrastructure	20.00

Total EMP Budget

Component	Capital Cost (INR Lakh)	Recurring Cost (INR Lakh/Yr)
EMP Budget	76.50	13.40
Budget for nearby Government School for improvement of infrastructure	20.00	
Total	96.50	13.40

5. In view of the recommendations made by State Expert Appraisal Committee (SEAC) in the said case and further consideration of the documents/details submitted by the Project Proponent; the Authority after discussions decided during **189th Meeting held on 02.12.2024 to “GRANT ENVIRONMENT CLEARANCE” to M/s S.D. Bio Medical Waste Management Company, Rohtak (as per the allotment no. HSIIDC/IMT/RTK/2025/1565 dated 09.10.2023, issued by HSIIDC)** under category **7(da)** of EIA Notification dated 14.09.2006 of the Ministry of Environment and Forest, Government of India.

Copy To

1. Director (IA Division), MoEF&CC, GoI, Indira Paryavaran Bhavan, Zorbagh Road-New Delhi-110003.
2. Chairman, State Environment Impact Assessment Authority, Bay's No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
3. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.
4. Director, Environment & Climate Change Department, Haryana, Bay's No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
5. Director General, Town & Country Planning Haryana, Plot No. 3, Sector - 18A, Madhya Marg, Chandigarh- 160018.
6. Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.
7. Concerned File/ Office Copy.

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
1.2	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.3	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area)
1.4	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.5	Transportation and handling of Bio-medical Wastes shall be as per the Bio-Medical Waste Management Rules, 2016 including the section 129 to 137 of Central Motor Vehicle Rules 1989.
1.6	Project shall fulfill all the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 including collection and transportation design etc. and also guidelines for Common Hazardous Waste Incineration - 2005, issued by CPCB Guidelines of CPCB/MPPCB for Bio-medical Waste Common Hazardous Wastes incinerators shall be followed.
1.7	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
1.8	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.9	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities

2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2.2	Periodical air quality monitoring in and around the site including VOC, HC shall be carried out.

S. No	EC Conditions
2.3	Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3%, or their loss on ignition is less than 5% of the dry weight of the material.
2.4	Venturi scrubber (alkaline) should be provided with the incinerator with stack of adequate height (Minimum 30 meters) to control particulate emission within 50mg/Nm ³ .
2.5	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards. All necessary air pollution control devices (quenching, Venturi scrubber, mist eliminator) should be provided for compliance of emission standards.
2.6	Masking agents should be used for odour control.

3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
3.2	Waste water generated from the facility shall be treated in the ETP and treated waste water shall be reused in the APCD connected to the incinerator. The water quality of treated effluent shall meet the norms prescribed by State Pollution Control Board. Zero discharge should be maintained.
3.3	Process effluent/any waste water should not be allowed to mix with storm water.
3.4	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.
3.5	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.
3.6	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/disposal/drainage systems along with the final disposal point should be obtained.
3.7	The leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.
3.8	Magnetic flow meters shall be provided at the inlet and outlet of the ETP & all ground water abstraction points and records for the same shall be maintained regularly.
3.9	Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant.

4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

5. Energy Conservation Measures

S. No	EC Conditions
5.1	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
5.2	Provide LED lights in their offices and residential areas

6. Waste Management

S. No	EC Conditions
6.1	Incinerated ash shall be disposed at approved TSDF and MoU made in this regard shall be submitted to the Ministry prior to the commencement.
6.2	The solid wastes shall be segregated as per the norms of the Solid Waste Management Rules, 2016.
6.3	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.
6.4	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016
6.5	No landfill site is allowed within the CBWTF site
6.6	The Project proponent shall not store the Hazardous Wastes more than the quantity that has been permitted by the CPCB/SPCB.

7. Green Belt

S. No	EC Conditions
7.1	Green belt shall be developed in area as provided in project details, with native tree Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.

8. Public Hearing And Human Health Issues

S. No	EC Conditions
8.1	Feeding of materials/Bio-medical waste should be mechanized and automatic no manual feeding is permitted.

S. No	EC Conditions
8.2	Proper parking facility should be provided for employees & transport used for collection & disposal of waste materials.
8.3	Necessary provision shall be made for fire-fighting facilities within the complex.
8.4	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
8.5	Emergency plan shall be drawn in consultation with SPCB/CPCB and implemented in order to minimize the hazards to human health or environment from fires, explosion or any unplanned sudden or gradual release of hazardous waste or hazardous waste constituents to air, soil or surface water.
8.6	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
8.7	Occupational health surveillance of the workers shall be done on a regular basis.
8.8	Corporate Environment Responsibility The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
8.9	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest/wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation /violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
8.10	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
8.11	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
8.12	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

9. Miscellaneous

S. No	EC Conditions
9.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
9.5	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and / or shareholder's/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
9.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
9.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
9.8	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
9.9	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.10	The criteria pollutant levels namely; PM2.5, PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
9.11	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.


S. No	EC Conditions
9.12	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
9.13	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9.14	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
9.15	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
9.16	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
9.17	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
9.18	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.
9.19	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts/NGT and any other Court of Law relating to the subject matter.
9.20	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

10. Specific Conditions

S. No	EC Conditions
10.1	The sludge of ETP shall be disposed of as per the guidelines of SPCB/CPCB
10.2	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies
10.3	The PP shall obtain the permission regarding withdrawal of ground water from CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from CGWA
10.4	The PP shall not allow to park the vehicles on the roads or revenue rasta outside the project area
10.5	The PP shall take all measures to control the smell coming out of the project

S. No	EC Conditions
10.6	The PP shall carry out the quarterly awareness programs for the residents of the stakeholders of the project
10.7	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance
10.8	The project proponent shall install emission monitoring system including Dioxin and furans to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers
10.9	The PP shall get calibrate emission monitoring system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories
10.10	The PP shall run the facility at the existing capacity level as per the CTE/CTO issued by the HSPCB for the current financial year
10.11	The PP shall comply with the NGT orders and other necessary directions issued by any other competent authority for CBWTF
10.12	The Rain water runoff from hazardous waste storage area shall be collected and treated in the effluent treatment plant
10.13	The PP shall implement the bar coding system as per the approved MoU dated 23.05.2019 in compliance with BMW Rules 2016 (and its further amendments)
10.14	The BOD value of ETP shall be maintained below 10 ppm
10.15	The PP shall get project electrification plan approved from the competent authority before operation of the project
10.16	The PP shall carry out plantation of saplings in the proposed green area as a part of the tree plantation campaign “Ek Ped Maa Ke Naam” and shall upload the details of the same in the Meri LiFE Portal (http://merilife.nic.in)
10.17	Total green area of the project is 1,377 m² (34% of total plot area) in which block plantation area is 486 m² (12% of total area)
10.18	The PP shall install 15 KWH Solar power plant at the project site.
10.19	The PP shall install required number of Anti Smog Guns at the project site as per the requirement of HSPCB
10.20	The PP shall register themselves on the http://dustapphspcb.com portal as per the Direction No.14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas
10.21	The Project Proponent will adopt nearby government school for improvement of infrastructure with a budget of 20 lakhs.

S. No	EC Conditions
10.22	The Project Proponent will use PNG.





HARYANA STATE POLLUTION CONTROL BOARD



HSPCB Regional Office, Haryana State Pollution Control Board
Rohtak, SCO No. A-6, A-7 and A-8, First Floor, Sector-
36, Suncity Commercial Complex, Rohtak-124001".Email:-
hspcbroroh@gmail.com

Website: www.hrocmms.nic.in E-Mail - Hqhspcb@hspcb.org.in

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 320220925ROHCTE92822525

Dated:17/03/2025

To.

M/s : S D Biomedical Waste Management Co.

Plot no. 79, Phase III sector 30 D, Industrial Model Township, Rohtak, Haryana.

ROHTAK

124021

Sub. : Grant of consent to Establish to M/s S D Biomedical Waste Management Co.

Please refer to your application no. 92822525 received on dated 2025-01-31 in regional office Rohtak.

With reference to your above application for consent to establish, M/s S D Biomedical Waste Management Co. is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	17/03/2025 - 16/03/2030
Industry Type	Common treatment and disposal facilities(CETP, TSDF, E- waste recycling, CBMWTF, effluent conveyance project, incinerator, solvent/acid recovery plant, MSW sanitary land fill site)
Category	RED
Investment(In Lakh)	937.0
Total Land Area (Sq. meter)	4050.0
Total Builtup Area (Sq. meter)	1858.66
Quantity of effluent	
1. Trade	1.68 KL/Day
2. Domestic	2.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	sewer
2. Trade	ETP
Permissible Domestic Effluent Parameters	
1. BOD	10 mg/l
2. COD	50 mg/l

3. TSS	20 mg/l
Permissible Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Number of stacks	1
Height of stack	
1. Stack to incenerator	30 mtr
Permissible Emission parameters	
1. SPM	80 mg/m ³
2. NOX	50 mg/m ³
3. SOX	50 mg/m ³
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. incenerator	
Type of Fuel	
1. Diesel	0.1 KL/day

HARYANA STATE

Regional Officer, Rohtak

Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 3.679999999999997 KL/Day i.e 1.68KL/Day for Trade Effluent, 0 KL/Day for Cooling, 2 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

26. That unit will obtain consent to operate from the board before the start of product activity.
27. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.
28. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions

Other Conditions :

1. Unit will comply the conditions mentioned in the letter dated 25-10-2019 of CPCB regarding mechanism for Environmental management in compliance of Hon'ble NGT order dated 23-08-2019 in the matter of O.A. No. 1038/2018. 2. The unit will comply with the Directions dated 27-11-2020 issued by CPCB regarding to allow only those new industrial units in NCR-Delhi, which are using cleaner fuels, namely, natural gas (PNG/CNG), liquefied petroleum gas, bio-gas, propane, butane etc. The unit will comply CAQM Directions w.r.t DG sets. 4. The unit will use cleaner fuel only. The unit will install CPCB IV DG sets only.

DINESH
KUMAR

Digitally signed by
DINESH KUMAR
Date: 2025.03.17
10:22:46 +05'30'

Regional Officer, Rohtak

Haryana State Pollution Control Board.

HARYANA STATE



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Air Quality Analysis	AAQ-031025-01	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

Sampling & Analysis Data

Sample Drawn By : NTL Representative : Monitoring Period : Oct 2025 - Dec 2025
Sampling Location : Project Site : Protocol Used : CPCB Guidelines
Sampling Plan & Procedure : SOP-AAQ/08 : Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler

S. No.	Monitoring Date	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	Pb	As	NH ₃	Ni	O ₃	Benzene	Benzo(a) Pyrene
1	03.10.2025	113.29	58.31	12.25	24.89	0.89	ND (DL 0.1)	ND (DL 5.0)	31.60	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
2	04.10.2025	106.70	56.29	12.58	23.44	0.95	ND (DL 0.1)	ND (DL 5.0)	34.66	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
3	12.10.2025	108.70	58.10	12.89	23.47	1.14	ND (DL 0.1)	ND (DL 5.0)	35.72	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
4	15.10.2025	161.99	82.20	14.59	26.58	1.37	ND (DL 0.1)	ND (DL 5.0)	27.39	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
5	19.10.2025	223.40	89.28	17.29	28.07	1.67	ND (DL 0.1)	ND (DL 5.0)	31.67	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
6	22.10.2025	105.70	54.30	15.28	25.19	1.78	ND (DL 0.1)	ND (DL 5.0)	39.18	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
7	26.10.2025	78.28	45.22	14.51	24.89	1.31	ND (DL 0.1)	ND (DL 5.0)	34.69	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
8	29.10.2025	114.20	61.80	15.00	26.82	1.18	ND (DL 0.1)	ND (DL 5.0)	35.18	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
9	02.11.2025	76.81	40.92	13.59	25.17	1.28	ND (DL 0.1)	ND (DL 5.0)	31.21	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
10	05.11.2025	81.19	44.68	16.84	29.21	1.47	ND (DL 0.1)	ND (DL 5.0)	31.42	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
11	09.11.2025	216.40	116.20	15.49	27.45	1.32	ND (DL 0.1)	ND (DL 5.0)	27.30	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
12	12.11.2025	159.42	85.24	17.08	30.54	1.22	ND (DL 0.1)	ND (DL 5.0)	28.47	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
13	16.11.2025	226.64	121.28	16.55	31.80	1.77	ND (DL 0.1)	ND (DL 5.0)	29.83	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
14	19.11.2025	243.73	129.07	15.88	29.45	1.48	ND (DL 0.1)	ND (DL 5.0)	27.21	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
15	23.11.2025	58.01	33.22	12.58	25.48	0.77	ND (DL 0.1)	ND (DL 5.0)	27.59	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
16	26.11.2025	107.25	59.36	14.88	24.00	0.95	ND (DL 0.1)	ND (DL 5.0)	26.67	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
17	01.12.2025	59.74	33.29	12.01	23.84	0.78	ND (DL 0.1)	ND (DL 5.0)	30.54	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
18	04.12.2025	133.35	71.26	15.99	24.00	1.05	ND (DL 0.1)	ND (DL 5.0)	27.28	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
19	08.12.2025	182.18	96.31	16.55	26.25	1.01	ND (DL 0.1)	ND (DL 5.0)	28.92	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
20	11.12.2025	251.20	134.20	15.88	25.49	0.94	ND (DL 0.1)	ND (DL 5.0)	27.34	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
21	15.12.2025	120.60	67.88	16.22	26.14	0.91	ND (DL 0.1)	ND (DL 5.0)	27.35	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
22	18.12.2025	197.40	105.82	17.25	27.08	0.79	ND (DL 0.1)	ND (DL 5.0)	33.37	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
23	22.12.2025	81.50	49.80	15.48	24.28	1.21	ND (DL 0.1)	ND (DL 5.0)	35.88	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
24	25.12.2025	86.28	50.75	14.54	25.48	1.07	ND (DL 0.1)	ND (DL 5.0)	30.86	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
Min		58.01	33.22	12.01	23.44	0.77	ND (DL 0.1)	ND (DL 5.0)	26.67	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
Max		251.2	134.2	17.29	31.8	1.78	ND (DL 0.1)	ND (DL 5.0)	39.18	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
Avg.		137.25	72.70	15.05	26.21	1.18	ND (DL 0.1)	ND (DL 5.0)	30.89	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
98 percentile		247.76	131.84	17.27	31.22	1.78	ND (DL 0.1)	ND (DL 5.0)	37.66	ND (DL 10)	ND (DL 10)	ND (DL 1.0)	ND (DL 1.0)
NAAQS, For 24 hourly monitoring (except CO for Eight hour)		100 µg/m ³	60 µg/m ³	80 µg/m ³	80 µg/m ³	2 mg/m ³	1 µg/m ³	6 ng/m ³	400 µg/m ³	20 ng/m ³	180 µg/m ³	5 µg/m ³	1 ng/m ³

*Remark- ND-Not Detected, DL-Detection Limit

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory



+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ground Water	W-181225-10	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

SAMPLING & ANALYSIS DATA

Sample Received on : 17/12/2025
Sample Drawn By : NTL Representative
Sample Quantity : 2.0 lit. + 500 ml.
Analysis Duration : 18/12/2025 to 24/12/2025
Sample Description : Ground Water

S. No.	Parameter	Unit	GW1 Village Baliana	GW2 Village Nonand	GW3 Village Kheri Sadh	GW4 Village Kharawar	Limit (as per IS:10500)- 2012/REV:2023	
							Desirable	Permissible
1	Colour	Hazen	<1.0	<1.0	<1.0	<1.0	5	15
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	-
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	-
4	Turbidity	NTU	<1.0	<1.0	<1.0	<1.0	1	5
5	pH	-	7.65	7.48	7.33	7.16	6.5-8.5	No Relaxation
6	Total Hardness (as CaCO ₃)	mg/l	458	416	425	420	200	600
7	Iron (as Fe)	mg/l	0.289	0.274	0.259	0.221	1.0	No Relaxation
8	Chlorides (as Cl)	mg/l	276.5	281.2	258.8	290.2	250	1000
9	Fluoride (as F)	mg/l	0.87	0.95	0.81	0.78	1	1.5
10	TDS	mg/l	1212.0	1410.0	1086.0	1134.0	500	2000
11	Calcium(as Ca ²⁺)	mg/l	89.0	90.6	117.2	92.8	75	200
12	Magnesium (as Mg ²⁺)	mg/l	41.50	38.64	48.8	35.1	30	100
13	Copper (as Cu)	mg/l	<0.05	<0.05	<0.05	<0.05	0.05	1.5
14	Manganese(as Mn)	mg/l	<0.05	<0.05	<0.05	<0.05	0.1	0.3
15	Sulphate (as SO ₄)	mg/l	254.8	281.2	247.6	250.4	200	400
16	Nitrate(as NO ₃)	mg/l	16.02	14.23	18.89	16.36	45	No Relaxation
18	Mercury (as Hg)	mg/l	<0.001	<0.001	<0.001	<0.001	0.001	No Relaxation
19	Cadmium (as Cd)	mg/l	<0.001	<0.001	<0.001	<0.001	0.003	No Relaxation

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

20	Selenium (as Se)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
21	Arsenic (as As)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
22	Cyanide (as CN)	mg/l	<0.01	<0.01	<0.01	<0.01	0.05	No Relaxation
23	Lead (as Pb)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
24	Zinc (as Zn)	mg/l	0.221	0.246	0.314	0.228	5	15
25	Anionic Detergent (as MBAS)	mg/l	<0.10	<0.10	<0.10	<0.10	0.2	1
26	Chromium (as Cr6+)	mg/l	<0.05	<0.05	<0.05	<0.05	0.05	No Relaxation
27	Mineral oil	mg/l	<0.50	<0.50	<0.50	<0.50	0.5	No Relaxation
28	Alkalinity as CaCO ₃	mg/l	398	376	410	348	200	600
29	Aluminium (as Al)	mg/l	<0.01	<0.01	<0.01	<0.01	0.03	0.2
30	Boron (as B)	mg/l	<0.10	<0.10	<0.10	<0.10	0.5	2.4
31	Total Coliform	MPN /100ml	Absent	Absent	Absent	Absent	Absent/100ml	
32	E. coli	E.coli /100ml	Absent	Absent	Absent	Absent	Absent/100ml	

BDL- Below Detection Limit

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

[Signature]
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ground Water	W-181225-11	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

SAMPLING & ANALYSIS DATA

Sample Received on : 17/12/2025
Sample Drawn By : NTL Representative
Sample Quantity : 2.0 lit. + 500 ml.
Analysis Duration : 18/12/2025 to 24/12/2025
Sample Description : Ground Water

S. No.	Parameter	Unit	GW5 Village Bhalaut	GW6 Rohtak Haryana	GW7 Village Pahrawar	GW8 Village Gandhra	Limit (as per IS:10500)- 2012/REV:2023	
							Desirable	Permissible
1	Colour	Hazen	<1.0	<1.0	<1.0	<1.0	5	15
2	Odour	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	-
3	Taste	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	-
4	Turbidity	NTU	<1.0	<1.0	<1.0	<1.0	1	5
5	pH	-	7.38	7.44	7.60	7.25	6.5-8.5	No Relaxation
6	Total Hardness (as CaCO ₃)	mg/l	560	542	490	501	200	600
7	Iron (as Fe)	mg/l	0.216	0.238	0.240	0.252	1.0	No Relaxation
8	Chlorides (as Cl)	mg/l	278.0	251.2	280.0	276.3	250	1000
9	Fluoride (as F)	mg/l	1.16	1.26	1.38	1.26	1	1.5
10	TDS	mg/l	1640	1438	1502	1410	500	2000
11	Calcium(as Ca ²⁺)	mg/l	127.0	110.0	115.0	125.0	75	200
12	Magnesium (as Mg ²⁺)	mg/l	78.8	89.5	72.4	85.5	30	100
13	Copper (as Cu)	mg/l	<0.01	<0.05	<0.05	<0.01	0.05	1.5
14	Manganese(as Mn)	mg/l	<0.05	<0.05	<0.05	<0.05	0.1	0.3
15	Sulphate (as SO ₄)	mg/l	260.0	278.0	262.0	266.0	200	400
16	Nitrate(as NO ₃)	mg/l	23.60	21.40	20.54	23.80	45	No Relaxation
18	Mercury (as Hg)	mg/l	<0.001	<0.001	<0.001	<0.001	0.001	No Relaxation
19	Cadmium (as Cd)	mg/l	<0.001	<0.001	<0.001	<0.001	0.003	No Relaxation

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

20	Selenium (as Se)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
21	Arsenic (as As)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
22	Cyanide (as CN)	mg/l	<0.01	<0.01	<0.01	<0.01	0.05	No Relaxation
23	Lead (as Pb)	mg/l	<0.01	<0.01	<0.01	<0.01	0.01	No Relaxation
24	Zinc (as Zn)	mg/l	0.252	0.276	0.216	0.249	5	15
25	Anionic Detergent (as MBAS)	mg/l	<0.10	<0.10	<0.10	<0.10	0.2	1
26	Chromium (as Cr6+)	mg/l	<0.05	<0.05	<0.05	<0.05	0.05	No Relaxation
27	Mineral oil	mg/l	<0.50	<0.50	<0.50	<0.50	0.5	No Relaxation
28	Alkalinity as CaCO ₃	mg/l	423	396.0	411.0	408.0	200	600
29	Aluminium (as Al)	mg/l	<0.01	<0.01	<0.01	<0.01	0.03	0.2
30	Boron (as B)	mg/l	<0.10	<0.10	<0.10	<0.10	0.5	2.4
31	Total Coliform	MPN /100ml	Absent	Absent	Absent	Absent	Absent/100ml	
32	E. coli	E.coli /100ml	Absent	Absent	Absent	Absent	Absent/100ml	

BDL- Below Detection Limit

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

[Signature]
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | **Website :** www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Ambient Noise	AN-031025-09	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

SAMPLING & ANALYSIS DATA

Sample Drawn By : NTL Representative
Sample description : Ambient Noise
Sampling Time : 24 hrs
Sampling Instrument Used : Digital Noise Meter
Weather Condition : Normal
Monitoring Period : Oct 2025 – Dec 2025

S. No.	Locations	Date of Monitoring	Results		Units
			Day	Night	
1.	Project Site	08.10.2025	62.4	52.6	dB(A)
2.	Near Project Site	24.10.2025	60.1	51.4	dB(A)
3.	Nonand Village	05.10.2025	53.2	45.2	dB(A)
4.	Industrial Model Town Rohtak	04.11.2025	62.5	50.0	dB(A)
5.	Asthal Bohar Village	18.11.2025	51.8	43.5	dB(A)
6.	Village Pakasma	23.11.2025	53.0	41.8	dB(A)
7.	Village Baliana	01.12.2025	54.4	42.7	dB(A)
8.	Village Kharawar	04.12.2025	52.6	41.9	dB(A)
Requirement (as per CPCB Guidelines Limits in dB (A) Leq					
Category of Area/ Zone		Day Time	Night Time		
Industrial Area		75	70		
Residential Area		55	45		
Commercial Area		65	55		
Silence Zone		50	40		

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Soil Quality	SQ-181225-12	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

Sampling & Analysis Data

Sample Received On : 17/12/2025
Sample Description : Soil Sample
Sample Quantity : 2.0 Kg
Sample Drawn By : NTL Representative
Analysis Duration : 18/12/2025 to 24/12/2025

		Location	Project Site	Village Nonand	Village Baliana	Village Kheri Sadh	Rohtak Ind. Area
Sr. No.	Parameters	Units	Results	Results	Results	Results	Results
1	pH	-	7.26	7.38	7.41	7.40	7.34
2	Conductivity	µmhos/cm	390.0	372.0	364.0	383.0	378.10
3	Sodium (as Na)	mg/kg	273.0	256.0	284.0	263.0	256.60
4	Water holding capacity	%	32.28	34.08	35.10	40.02	26.2
5	Potassium (as K)	mg/kg	134.00	160.10	136.4	186.20	99.0
6	Sand	%	67.0	65.0	67.0	68.0	64.00
7	Clay	%	21.0	23.0	22.0	23.0	17.00
8	Silt	%	12.0	12.0	11.0	9.0	19.00
9	Calcium (as Ca)	mg/kg	366.0	426.0	490.0	460.02	389.0
10	Magnesium (as Mg)	mg/kg	170.0	258.0	206.0	136.02	115.8
11	SAR	-	0.92	0.96	1.22	0.98	1.46
12	CEC	meq/100gm	2.84	2.66	2.36	2.26	2.15
13	Phosphorus (as P)	mg/kg	11.32	12.68	10.02	12.20	12.80
14	Organic carbon	%	0.46	0.52	0.48	0.50	0.44
15	Porosity	%	42.12	44.08	50.02	40.02	36.90
16	Permeability	cm/hr	1.72	1.56	1.60	1.86	1.64
17	Bulk Density	kg/cm ³	1520	1440	1380	1520	1247
18	Total Kjeldahl Nitrogen (TKN)	%	0.038	0.028	0.042	0.036	0.057

Notes: -

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Surface Water	SW-181225-14	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

SAMPLING & ANALYSIS DATA

Sample Received On : 17/12/2025
Sample Description : Surface Water
Sample Collected By : NTL Representative
Sample Quantity : 2.0 Litre + 1 Lit.
Analysis Duration : 18/12/2025 to 24/12/2025

S. No.	Parameter	Test Method	Units	Kheri Sadh Minor	Jawahar Lal Nehru Canal	Bhalaut Distributory	Pond Near Village Kharawar
1.	pH (at 25°C)	IS:3025(Part-11)	---	7.55	7.64	7.64	7.58
2.	Temperature	IS:3025(Part-9)	°C	22.62	23.12	21.45	21.5
3.	Turbidity	IS:3025(Part-10)	NTU	42.4	51.5	62.3	58.4
4.	Electric Conductivity @25°C	IS:3025(Part-14)	µS/cm	550	440	410	712
5.	Sulphate (SO ₄)	IS:3025(Part-24)	mg/l	17.8	15.6	12.3	16.8
6.	Nitrate (NO ₃)	IS:3025(Part-34)	mg/l	1.8	1.5	2.0	4.2
7.	Total Hardness (as CaCO ₃)	IS:3025(Part-21)	mg/l	212	184	160	262
8.	Chloride (as Cl)	IS:3025(Part-32)	mg/l	32.4	28.6	20	48
9.	Fluoride (as F)	APHA 4500F	mg/l	<0.1	<0.1	<0.1	0.82
10.	COD (as O ₂)	APHA-5220 B	mg/l	18	22	20	27
11.	Iron (as Fe)	IS:3025(Part-53)	mg/l	<0.1	<0.1	<0.1	<0.1
12.	Dissolve Oxygen	IS:3025(Part-38)	mg/l	5.1	4.9	4.5	2.5
13.	Total Dissolved Solid	IS:3025(Part-16)	mg/l	320	265	220	457
14.	BOD (3 days at 27°C)	IS:3025 (P-44)	mg/l	8	12	10	10
15.	Calcium (as Ca)	IS:3025(Part-40)	mg/l	46.5	38.7	28	51.4
16.	Magnesium (as Mg)	IS:3025(Part-46)	mg/l	23.4	20.6	14.6	12.5
17.	Arsenic (as As)	IS:3025(Part-37)	mg/l	<0.01	<0.01	<0.01	<0.01
18.	Lead (as Pb)	IS:3025(Part-47)	mg/l	<0.01	<0.01	<0.01	<0.01
19.	Copper (as Cu)	IS:3025(Part-42)	mg/l	<0.01	<0.1	<0.1	<0.1
20.	Zinc (as Zn)	IS:3025(Part-49)	mg/l	<0.1	<0.1	<0.1	<0.1
21.	Manganese (as Mn)	IS:3025(Part-59)	mg/l	<0.1	<0.1	<0.1	<0.1
22.	Total Chromium (as Cr)	IS:3025(Part-52)	mg/l	<0.01	<0.01	<0.01	<0.01
23.	Sodium (as Na)	IS:3025(Part-45)	mg/l	15.2	14.3	8.8	10.5

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

24.	Potassium (as K)	IS:3025(Part-45)	mg/l	0.24	0.76	0.85	1.2
25.	Total Alkalinity (as CaCO ₃)	IS:3025(Part-23)	mg/l	224	196	168	242
26.	Phosphate (as P)	IS:3025(Part-31)	mg/l	1.23	1.18	1.50	2.30
27.	Nitrite (as NO ₂)	IS:3025(Part-34)	mg/l	<0.05	<0.05	<0.05	<0.05
28.	Total Suspended Solid	IS:3025(Part-17)	mg/l	16	18	25	30
29.	Faecal Coliform	IS-1622	MPN/100 ml	3.4 × 10 ³	4.1 × 10 ³	3.2 × 10 ³	2.6 × 10 ³
30.	Total Coliform	IS-1622	MPN/100 ml	9.5 × 10 ³	8.8 × 10 ³	9.2 × 10 ³	8.5 × 10 ³

BDL- Below Detection Limit

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Test Report of	Report Code	Date of Issue
Surface Water	SW-181225-15	05/01/2026

Issued To: M/s SD Biomedical Waste Management Co.
Project Name: "Expansion of existing Common Bio Medical Waste Treatment Facility proposed"
Location: Plot No. 79, Phase III, Sector 30-D, Industrial Model Township, Rohtak, Haryana

SAMPLING & ANALYSIS DATA

Sample Received On : 17/12/2025
Sample Description : Surface Water
Sample Collected By : NTL Representative
Sample Quantity : 2.0 Litre + 1 Lit.
Analysis Duration : 18/12/2025 to 24/12/2025

S. No.	Parameter	Test Method	Units	Pond Near Village Baliana	Pond Near Village Nonand	Pond Near Village Pakasma	Pond Near Village Kheri Sadh
1.	pH (at 25°C)	IS:3025(Part-11)	---	7.12	7.23	7.46	7.64
2.	Temperature	IS:3025(Part-9)	°C	26.6	26.4	23.12	23.45
3.	Turbidity	IS:3025(Part-10)	NTU	85	93	51.5	62.3
4.	Electric Conductivity @25°C	IS:3025(Part-14)	µS/cm	636	725	440	420
5.	Sulphate (SO ₄)	IS:3025(Part-24)	mg/l	32.5	46.4	15.6	12.3
6.	Nitrate (NO ₃)	IS:3025(Part-34)	mg/l	6.5	5.6	1.5	2.3
7.	Total Hardness (as CaCO ₃)	IS:3025(Part-21)	mg/l	285	324	184	160
8.	Chloride (as Cl)	IS:3025(Part-32)	mg/l	51.8	64.8	28.6	23.4
9.	Fluoride (as F)	APHA 4500F	mg/l	0.24	0.32	0.65	0.51
10.	COD (as O ₂)	APHA-5220 B	mg/l	52	60	32	26
11.	Iron (as Fe)	IS:3025(Part-53)	mg/l	0.21	0.29	<0.1	<0.1
12.	Dissolve Oxygen	IS-3025(Part-38)	mg/l	2.6	2.1	4.2	4.5
13.	Total Dissolved Solid	IS:3025(Part-16)	mg/l	380	412	264	245
14.	BOD (3 days at 27°C)	IS:3025 (P-44)	mg/l	15	18	12	9
15.	Calcium (as Ca)	IS:3025(Part-40)	mg/l	45.6	50.6	38.7	28
16.	Magnesium (as Mg)	IS:3025(Part-46)	mg/l	25.6	32.5	20.6	14.6
17.	Arsenic (as As)	IS:3025(Part-37)	mg/l	<0.05	<0.05	<0.01	<0.01
18.	Lead (as Pb)	IS:3025(Part-47)	mg/l	<0.1	<0.1	<0.01	<0.01
19.	Copper (as Cu)	IS:3025(Part-42)	mg/l	<0.1	<0.1	<0.01	<0.01
20.	Zinc (as Zn)	IS:3025(Part-49)	mg/l	0.25	0.33	<0.1	<0.1
21.	Manganese (as Mn)	IS:3025(Part-59)	mg/l	<0.1	<0.1	<0.1	<0.1
22.	Total Chromium (as Cr)	IS:3025(Part-52)	mg/l	<0.1	<0.1	<0.01	<0.01
23.	Sodium (as Na)	IS:3025(Part-45)	mg/l	22.1	23.2	18.8	15.5

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES LLP

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF, CC (Ministry of Environment, Forest & Climate Change) and UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

24.	Potassium (as K)	IS:3025(Part-45)	mg/l	1.84	1.23	1.42	1.64
25.	Total Alkalinity (as CaCO ₃)	IS:3025(Part-23)	mg/l	230	264.3	196	168
26.	Phosphate (as P)	IS:3025(Part-31)	mg/l	2.11	2.52	<1.0	<1.0
27.	Nitrite (as NO ₂)	IS:3025(Part-34)	mg/l	<0.05	<0.05	<0.05	<0.05
28.	Total Suspended Solid	IS:3025(Part-17)	mg/l	29	33	18	25
29.	Faecal Coliform	IS-1622	MPN/100 ml	2.6 × 10 ³	3.6 × 10 ³	4.0 × 10 ³	4.4 × 10 ³
30.	Total Coliform	IS-1622	MPN/100 ml	7.1 × 10 ³	8.2 × 10 ³	7.8 × 10 ³	9.0 × 10 ³

BDL- Below Detection Limit

Notes: -

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com

Annexure-IV

PUBLIC NOTICE

It is for the information of general public that M/s S.D. Bio Medical Waste Management Company has been granted Environmental Clearance by SEIAA, Haryana for the development of project namely "Common Biomedical Waste Treatment Facility (CBWTF) at Plot No. 79, Phase III, Sector 30D, Industrial Model Township, Rohtak, Haryana" File no. SEAC/HR/2024/128, EC Identification No. EC24B3301HR5682909N dated 21.01.2025 through our environmental Consultant "Shivalik Solid Waste Management Limited". The copy of Environmental Clearance along with the conditions to be complied is available in MoEF & CC website (<https://parivesh.nic.in/#/>) with proposal no. SIA/HR/INFRA2/483446/2024 and with the project proponent. The interested person may contact either of two.

ENVIRONMENTAL CONSULTANT

Shivalik Solid Waste Management Limited (NABET Accredited Consultant) SCO 20-21, 1st Floor, Kalka Shimla Highway, Dhakoli, Zirakpur, Punjab 140604
E-mail: Rahul.verma@beli.co.in
eia.sswml@beli.co.in
Ph.No. - 01762-509496

PROJECT PROPONENT

Shri. Sumit Nandal (Partner)
M/s S.D. Bio Medical Waste Management Company
H.No 348/29 Near TVS Showroom, Tilaknagar, Rohtak, Haryana
E-mail: Sdrtk43@yahoo.com
Ph. No. - 9254251184

"सार्वजनिक सूचना"

यह आम जनता की जानकारी के लिए है कि मेडार्ड एच.डी.बायोमेडिकल वेस्ट मैनेजमेंट कंपनी को एम.ई.आई.ए.ए. हरियाणा द्वारा "कॉमन बायोमेडिकल वेस्ट ट्रीटमेंट फैसिलिटी (सीबीटीएमसीएफ)" प्लॉट नंबर 79, फेज III, सेक्टर 30डी, इंडस्ट्रियल मॉडल टाउनशिप, रोहताक, हरियाणा" नामक परियोजना के विकास के लिए फाइल नंबर SEAC/HR/2024/128, ईसी पहचान संख्या EC24B3301HR5682909N दिनांक 21.01.2025, हमारे पर्यावरण सलाहकार शिवालिक सॉलिड वेस्ट मैनेजमेंट लिमिटेड के माध्यम से पर्यावरणीय संतुष्टि दी गई है। अनुमति को देने वाली शर्तों के साथ पर्यावरणीय संतुष्टि की प्रति MoEF&CC वेबसाइट (<https://parivesh.nic.in/#/>) पर प्रस्ताव संख्या SIA/HR/INFRA2/483446/2024 और पर्यावरण प्रस्तावक के पास उपलब्ध है। इसका व्यक्ति दोनों में से किसी से भी संपर्क कर सकते हैं।

श्री सुमित नंदल (साथी)

मेडार्ड एच.डी. बायोमेडिकल वेस्ट मैनेजमेंट कंपनी
एन.नं. 348/29 टीवीएस शोरोम के पास,
तिलाक नगर, रोहताक, हरियाणा
ई-मेल: Sdrtk43@yahoo.com
फोन नं. -9254251184

पर्यावरण सलाहकार: शिवालिक सॉलिड वेस्ट मैनेजमेंट लिमिटेड

(NABET मान्यता प्राप्त सलाहकार)
एन.नं. 20-21, पहली मंजिल, कलका शिमला
हाइवे, धकोली, जिराफपुर, पंजाब 140604
ई-मेल: Rahul.verma@beli.co.in
eia.sswml@beli.co.in
फोन नं. 01762-509496

Annexure-V

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorized By: Government of Haryana

Date: 29/04/2025
Time: 08:22:12 AM
Validity upto: 28/04/2026

Certificate SL No.: HR05505110000088
Registration No.: HR6123618
Date of Registration: 09/May/2022
Month & Year of Manufacturing: February 2022
Valid Mobile Number: 9876543210
Emission Norms: BHARAT STAGE VI
Fuel: DIESEL
PUC Code: HR0650511
GSTIN: HR0650511
MIL observation: No

Vehicle Photo with Registration plate
50 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
2	Hydrocarbon, (THC/HC)	ppm		
3	CO	percentage (%)		
4	RPM	RPM	2500 ± 200	
5	Lambda	-	1 ± 0.03	
6	Light absorption coefficient	1/metre	0.7	

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorized Signature with stamp of PUC Operator
50 mm x 20 mm

HR06505110000088 (HR06505110000088) & HR06505110000088

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorized By: Government of Haryana

Date: 07/03/2025
Time: 11:36:30 AM
Validity upto: 06/03/2026

Certificate SL No.: HR0610148000699
Registration No.: HR399441
Date of Registration: 22/Jan/2022
Month & Year of Manufacturing: November 2021
Valid Mobile Number: 9876543210
Emission Norms: BHARAT STAGE VI
Fuel: DIESEL
PUC Code: HR0610148
GSTIN: HR0610148
Fees: Rs.100.00
MIL observation: No

Vehicle Photo with Registration plate
50 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
2	Hydrocarbon, (THC/HC)	ppm		
3	CO	percentage (%)		
4	RPM	RPM	2500 ± 200	
5	Lambda	-	1 ± 0.03	
6	Light absorption coefficient	1/metre	0.7	0.34

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorized Signature with stamp of PUC Operator

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorized By: Government of Haryana

Date: 08/08/2024
Time: 11:40:51 AM
Validity upto: 07/08/2025

Certificate SL No.: HR08400360001628
Registration No.: HR61D7003
Date of Registration: 20/Feb/2021
Month & Year of Manufacturing: January 2021
Valid Mobile Number: 9876543210
Emission Norms: BHARAT STAGE VI
Fuel: DIESEL
PUC Code: HR0840036
GSTIN: HR0840036
MIL observation: No

Vehicle Photo with Registration plate
50 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
2	Hydrocarbon, (THC/HC)	ppm		
3	CO	percentage (%)		
4	RPM	RPM	2500 ± 200	
5	Lambda	-	1 ± 0.03	
6	Light absorption coefficient	1/metre	0.7	0.56

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorized Signature with stamp of PUC Operator
50 mm x 20 mm

HR08400360001628 (HR08400360001628) & HR08400360001628

Form 59
(See rules 115 (2))

Pollution Under Control Certificate
Authorized By: Government of Haryana

Date: 08/04/2025
Time: 11:10:10 AM
Validity upto: 07/04/2026

Certificate SL No.: HR0630050004913
Registration No.: HR0630050004913
Date of Registration: 11/Aug/2021
Month & Year of Manufacturing: April 2021
Valid Mobile Number: 9876543210
Emission Norms: BHARAT STAGE VI
Fuel: DIESEL
PUC Code: HR0630050
GSTIN: HR0630050
Fees: Rs.100.00
MIL observation: No

Vehicle Photo with Registration plate
50 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	Carbon Monoxide (CO)	percentage (%)		
2	Hydrocarbon, (THC/HC)	ppm		
3	CO	percentage (%)		
4	RPM	RPM	2500 ± 200	
5	Lambda	-	1 ± 0.03	
6	Light absorption coefficient	1/metre	0.7	0.55



This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.


1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorized Signature with stamp of PUC Operator
50 mm x 20 mm

HR0630050004913 (HR0630050004913) & HR0630050004913

Annexure-VI





हरियाणा HARYANA

W 463993

THIS Agreement is made at Faridabad on this 02nd day of Sept 2023

BY AND BETWEEN

Gujarat Enviro Protection and Infrastructure (Haryana) Pvt. Ltd., a company incorporated and registered under the provisions of the Companies Act, 2013 and having its registered office at 370, S V P Road, Shop 8, Plot 384, Chharetwala Bldg. Opp. CBI Prathna Samaj, Nr. Harkishandas Hospital, Mumbai (Maharashtra) (hereinafter referred to as GEPIL (Haryana) which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the FIRST PART

AND

M/s. S.D. Bio Medical Waste Management Co. which is a Company / Partnership Firm / Proprietary Concern duly incorporated under the provisions of V.P.O. Balaut, Rohtak, Haryana, 124001 located at V.P.O. Balaut, Rohtak, Haryana, 124001 and having its registered office at V.P.O. Balaut, Rohtak, Haryana, 124001 (hereinafter referred to as The Client which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, representatives and permitted assignees etc.) of the SECOND PART.

Recitals

WHEREAS Haryana Environmental Management Society (HEMS), a society registered under the Societies Registration Act, 1860 having its registered office at SCO 45, 1st floor, Sector -31, HUDA Market, Gurgaon, Haryana acting as a nodal agency of the Government of Haryana has awarded the work to a Consortium of Members led by Gujarat Enviro Protection & Infrastructure Ltd. (GEPIL) for development and operation of a Hazardous Waste Management Facility (HWM Facility) at Village Pali, Near Pali-Mohabatabad Stone Crusher Zone, Faridabad, Haryana on the leasehold land as per Lease Agreement executed between HEMS and Municipal Corporation, Faridabad (MCF) on 19th April 2005.

For Gujarat Enviro Protection And Infrastructure (Haryana) Pvt. Ltd.
SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED for & on behalf of Client

AND WHEREAS the Consortium of Members led by GEPIL have formed a Special Purpose Vehicle ("SPV") called Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd. (GEPIL (Haryana)) to develop, operate and maintain the said Hazardous Waste Management Facility at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana through an Agreement executed between HEMS, GEPIL (Haryana) and GEPIL, Surat on 30th June 2005.

AND WHEREAS the Party of the First Part is inter alia engaged in the business activities of development, operations and maintenance of infrastructure projects for hazardous waste management as specified in Hazardous Waste (Management and Handling) Rules, 1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments (hereinafter referred to as "The Rules") and has been given authorization by Haryana State Pollution Control Board (HSPCB) to set up an Integrated Common Hazardous Waste Treatment, Storage & Disposal Facility (TSDF) at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the Second Part is generating hazardous waste and has approached the Party of the First Part for managing and disposing off its Hazardous Waste as per applicable rules since the Party of the First Part has set up the said facility at Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana.

AND WHEREAS the Party of the First Part has agreed to accept Hazardous Waste generated by the Party of the Second Part for collection, transportation, storage, treatment and disposal on the mutually agreed terms and conditions stated hereunder.

THIS DEED THEREFORE WITNESSES AS FOLLOWS:

1. DEFINITIONS AND INTERPRETATIONS

- 1.1 "TIME" shall be stated in Hours and shall mean Indian Standard Time.
- 1.2 "DAY" means a period of twelve (12) consecutive hours beginning at 08.00 hours and ending at 20.00 hours.
- 1.3 "WEEK" means a period of seven (7) consecutive days beginning from a day.
- 1.4 "MONTH" means a period beginning at 08.00 hours on the first day of Calendar Month and ending at 08.00 hours on the first day of succeeding Calendar Month.
- 1.5 "YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day.
- 1.6 "FINANCIAL YEAR" means a period of three hundred and sixty five (365) consecutive days or three hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 08.00 hours from a day. It starts from 1st day of April month of the year and ends on 31st day of March month of next year.
- 1.7 "ACTIVE TERM" means the term during which GEPIL (Haryana) shall receive, transport, store, treat, recycle, recover and dispose of the hazardous waste at the TSDF site as per authorization granted by the HSPCB.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

- 1.8 "FORCE MAJEURE" means any event or circumstance or combination of events or circumstances beyond the reasonable control of either party (the "Affected Party") and such event or circumstance cannot by exercise of reasonable diligence be prevented or cause to be prevented; cannot, despite the adoption of reasonable precautions or alternative measures (where sufficient time to adopt such precautions or alternative measures before the occurrence of such event or circumstance is available) be prevented; and which materially and adversely affects such party's performance of its duties and obligations under this Agreement.
- 1.9 The headings of or title to the Clauses in this Agreement shall not be deemed to be a part thereof or be taken into consideration in the interpretation or construction thereof.
- 1.10 Words imparting the singular only also include the plural and vice versa where the context so requires.
- 1.11 "TSDF" means Treatment, Storage & Disposal Facility operated by GEPIL (Haryana) located at Village Pali, Near Pali Mohabatabad Stone Crusher Zone, Faridabad, Haryana
- 1.12 HSPCB means Haryana State Pollution Control Board, CPCB means Central Pollution Control Board and MoEF means Ministry of Environment and Forests.
- 1.13 "Client" means a Company / Partnership Firm / Proprietary Concern / Co-operative Society, AOP etc which generates hazardous wastes as defined in the Hazardous Waste (Management & Handling Rules) 1989 as amended in 2000, 2003, 2008 and now Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and subsequent amendments.

2. **PERIOD OF AGREEMENT**

- 2.1 The present Agreement shall remain in force for the Active Term or Five years from date of **08th June 2023**. Agreement whichever is earlier unless terminated earlier due to any of the reasons mentioned in this Agreement.
- 2.2 GEPIL (Haryana) will issue a Registration Certificate valid for 5 years effective from **08th June 2023**. The registration shall need to be renewed including execution of fresh Agreement by the Client at least three months before the expiry of the current Agreement.


3. **TERMINATION OF AGREEMENT**

- 3.1 Both the Parties hereto agree that the present Agreement shall automatically come to an end in any of the following eventualities:
- On expiry of Authorization granted to the Client and the same having not been renewed by the Client or of the same having not been granted by Haryana State Pollution Control Board (HSPCB).
 - On expiry of HEMS membership and the same having not been renewed by the Client or of the same having not been granted by HEMS.
- 3.2 This AGREEMENT can be terminated by the Client after giving a written Notice of at least 30 days to the other party. The provision relating to minimum charges shall be applicable during the notice period in accordance with Clause 10.2 of the Agreement.

for GEPIL (Haryana) Pvt. Ltd.




SIGNED & STAMP for & on



- 3.3 Both the Parties hereto further agree that in case of the present Agreement coming to an end owing to any of the aforesaid eventualities, it will be the sole responsibility of the Client to handle, treat and dispose off its Hazardous Waste in accordance with the relevant provisions of law.

4. **REGISTRATION**

- 4.1 The Client shall pay non refundable charges of ₹ 1000=00 (Rupees One Thousand Only) towards Registration every five years.
- 4.2 The Client shall pay non refundable charges of ₹ 8000=00 (Rupees Eight Thousand Only) towards Finger Printing Analysis of the waste to be conducted by GEPIL (Haryana) for waste characterization in every five years.
- 4.3 After having registered, if the registration is terminated within the validity period of the present Agreement because of any reason stated in this Agreement, then in that event, the registration can be revived on payment of non-refundable re-registration charges of ₹ 500/- (Rupees Five hundred only). Such re-registration shall be valid till the expiry of the last Registration Certificate.
- 4.4 The registration under this Agreement is not transferable in any manner whatsoever.

5. **TREATMENT & DISPOSAL CHARGES**

- 5.1 The Treatment and Disposal charges for various types of hazardous wastes are mentioned in Schedule I to this Agreement. The Treatment & Disposal Charges applicable under this Agreement for different types of wastes generated by the Client are as follows:

Sr. No.	Type of Wastes	Treatment and Disposal Charges (₹ Per MT)	Quantity (In MT)
1	INCINERATION ASH	1,888/-	6.00
2	ETP SLUDGE	18,041/-	0.500

(Attach sheets in case of more types of wastes)

- 5.2 GEPIL (Haryana) shall charge the Client towards treatment & disposal based on weightment to be done at the TSDF site. If the Weigh Bridge at the site is not working, it will be weighed at an outside Weigh Bridge approved by GEPIL (Haryana).
- 5.3 The rates specified in Schedule I to this Agreement are based on general characteristics of the specified type of waste. In case any waste of the Client that

4

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

either does not fall under the mentioned categories or requires special type of treatment before or after disposal, the Client agrees to pay the rates for the same which shall be fixed on case to case basis depending upon the characteristics of the waste & treatment required in consultation with HEMS.

6. TRANSPORTATION CHARGES

- 6.1 The Client has requested GEPIL (Haryana) to provide NIL numbers of storage containers of NA capacity each to avoid frequent transportation. GEPIL (Haryana) has agreed to provide the said containers in consideration of which the client has agreed to pay ₹. NA (Rupees NA) as interest free security deposit to GEPIL (Haryana). The Client shall be responsible for the security and upkeep of as well as any damage caused to the container while it is lying at the premises of the Client.
- 6.2 M/s. GEPIL (Haryana) shall provide the fleet of waste transport vehicles of different capacities duly authorized by HSPCB. As per the requirements of the Client, lowest capacity vehicle for transporting its Hazardous Waste on full vehicle load basis to the TSDF Site shall be sent by GEPIL (Haryana) at the cost of the Client.
- 6.3 The Transportation Charges for transportation of waste from location of Client to the TSDF site are mentioned in Schedule II to this Agreement.
- 6.4 The Transportation Charges applicable under this Agreement at the current rates, excluding taxes, are ₹. (AS PER SCHEDULE -2) per km per MT Taxes, as applicable, are payable extra.

7. REVISION OF CHARGES

- 7.1 The Client covenants that various notified charges like Treatment & Disposal Charges, Transportation Charges etc and any other unforeseen charges under this Agreement for its Hazardous Waste shall be subject to revision and inclusion during the currency of this Agreement in consultation with HEMS, as and when such revision is called for due to any reason whatsoever. GEPIL (Haryana) shall inform the Client about such revisions in advance through a separate letter.
- 7.2 All Government, municipal, panchayat taxes, duties, levies, octroi, tolls, service tax etc., as applicable from time to time, related to transportation, treatment, storage, disposal and other services rendered under this Agreement shall be borne by the Client. In case the same are paid by GEPIL (Haryana), the Client shall reimburse the amount thereof to GEPIL (Haryana).
- 7.3 Service Tax or any other existing taxes as applicable presently on services related to disposal of hazardous waste must be paid by the client.

8. OBLIGATIONS OF THE CLIENT

- 8.1 While entering into the present Agreement with GEPIL (Haryana), the Client shall submit the categories of Hazardous Waste along with the quantity and its desire to dispose off the same by GEPIL (Haryana). The said categories of Hazardous Waste shall be as per the parameters specified in the Schedules of Hazardous Waste (Management, Handling & Transboundary Movement) Rules 2016, as amended from time to time.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

- 8.2 The Client shall get the Authorization from HSPCB permitting the Client to send its Hazardous Waste to the TSDF Site for treatment and disposal and that it shall be the responsibility of the Client to get the same renewed from time to time, failing which GEPIL (Haryana) reserves its right to repudiate the present Agreement under intimation to HSPCB and HEMS.
- 8.3 The Client shall make all the proper, necessary and adequate arrangement for keeping production records and the Hazardous Waste generated from these processes. The Client shall provide relevant and correct information with respect to process, waste quantity and characteristics (physical & chemical), nature and toxicity of waste as and when asked for by GEPIL (Haryana). This information may be forwarded to HSPCB / CPCB / MoEF/ any other Statutory Authority, if asked for.
- 8.4 The Client shall be required to maintain the record of Hazardous Wastes generated, stored and sent for treatment and disposal to GEPIL (Haryana). The records so maintained shall be subject to cross check and physical verification by authorized representative of GEPIL (Haryana) through visit to Client's premises.
- 8.5 GEPIL (Haryana) reserves right to reject collection of the hazardous waste spilled over the ground and containers whose exteriors are soiled by spillages. The Client shall locate the storage facility in such a way so that the same shall be accessible to the waste transport vehicles of GEPIL (Haryana).

8.6 **Dispatch and Detention of Transport Vehicle**

- i. The Client is required to intimate GEPIL (Haryana) when it has minimum one vehicle load of waste to be lifted, through letter / Fax / Email to send waste transport vehicle at least five days in advance from the date of collection.
 - ii. On arrival of the same at the Client's site, the Client shall be responsible for loading its Hazardous Waste into the said waste transport vehicle within three hours of arrival at the Client's site counting from the time of reporting at the security gate of the Client.
 - iii. If the detention of the said waste transport vehicle at the Client's site exceeds the time limits stipulated in Schedule II to this Agreement, there shall be levied detention charges at the rates as mentioned in Schedule II to this Agreement. The Client may detain the vehicle for a maximum of six hours including time stipulated for loading.
 - iv. In case, for any reason, including detention for more than six hours, the vehicle is sent back to GEPIL (Haryana) without giving the waste even after having been requisitioned by the Client, the Client shall pay the transportation charges for the full capacity load of the vehicle.
- 8.7 Before the Hazardous Waste is loaded into the waste transport vehicle and dispatched to TSDF site, the Client shall ensure that the said waste is packed in a manner suitable for transportation and that the said packed waste withstands physical and climatic conditions and does not result in any kind of leakage, spillage and accident etc causing adverse impact on health and environment.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

8.8 If and when an accident occurs while loading Hazardous Waste at the Client's site, the Client shall immediately report the same to HSPCB and other authorities as per the Rules and also to GEPIL (Haryana).

8.9 **Rejection of Waste**

- i. The Client agrees to maintain waste characteristics close to Finger Print Analysis Report of the waste (attached as Schedule III to this Agreement). In case of variation of over 5% in waste characteristics mentioned in the said Schedule, the Client covenants to pay the revised treatment and disposal charges determined for its specific waste type and characteristics failing which the Client shall accept the hazardous waste back at its own cost in accordance with Clause 8.9 (ii) and 8.9 (iii).
 - ii. The Client shall be required to accept Hazardous Waste back and bear the cost of return transportation of full vehicle load, if the same is rejected by GEPIL (Haryana) due to any of the following reasons:
 - a) The variation in waste characteristics is beyond 5%.
 - b) The wastes contain unacceptable wastes types as listed under Clause 9.2.
 - iii. If the Client fails to do so within 2 days of reporting the matter, its registration will be terminated with intimation to HEMS. In the event of waste rejection, the Client shall be totally responsible and liable for any consequence arising thereof and GEPIL (Haryana) reserves all rights to take any suitable actions under the law.
- 8.10 During wet period of monsoon season, Hazardous Waste may not be accepted at the TSDF Site. During this period Client is required to make a provision to store its Hazardous Waste for a minimum period of four months, as per the requirement of HSPCB.
- 8.11 GEPIL (Haryana) may request the Client, under intimation to HEMS, to provide any additional information, as may be required, for treatment and disposal of waste or as asked for by HSPCB / CPCB / MOEF / any other Statutory Authority. The Client shall send the said information to GEPIL (Haryana) at least two days before the scheduled time, if specified by the information seeking authority else within two weeks time.
- 8.12 The Client shall comply with the provisions of Environment (Protection) Act, 1986 and the Rules as amended from time to time as also with the conditions of the present Agreement and that any breach committed thereof shall render the Client not eligible for disposing of its Hazardous Waste in TSDF site.
- 8.13 The Client shall not claim any right, interest or privilege in or in relation / connection with Hazardous Waste accepted at the TSDF site.
- 8.14 In case of any change in constitution of firm or company or proprietary concern, company name, products or quality and/or production rate of products or waste quantity or characteristics, the Client shall intimate GEPIL (Haryana) by written notification by registered letter / speed post / courier prior to proposed date of change and get its waste Finger Printing Analysis done again, where ever required, in accordance with Clause 4.2.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

9. QUALITY

- 9.1 The Client hereby covenants to ensure that its Hazardous Waste shall, under all circumstances, conform to the norms specified by HSPCB and as prescribed under the provisions of law for the time being in force.
- 9.2 The Client agrees not to send the following type of wastes which could be detrimental to the environment, safety of the facility and to the persons handling it in any manner:-
- Wastes containing explosive substances (An explosive substance is a solid or liquid substance (or mixture of substances) which is, in itself, capable by chemical reaction of producing gas at such a temperature and pressure and at such a speed as to cause damage to the surroundings.)
 - Waste which has an obnoxious odour.
 - Waste which is flammable (Flash point below 65°C)
 - Waste which contains shock sensitive substances (Shock sensitive refers to the susceptibility of a chemical or substance to rapidly decompose or explode when struck, vibrated or otherwise agitated.).
 - Waste which contains volatile substance of significant toxicity.
 - Wastes containing Radio active substances

10. QUANTITY

- 10.1 Subject to the conditions mentioned under Clause 3.2, the Client agrees to send on firm basis to GEPIL (Haryana), its own Hazardous Waste subject to maximum of ----- MT per day and 6.500 MT per annum, which will be called the Contracted Quantity.
- 10.2 If the Client wants to send the requisite Hazardous Waste less than 90% of the aforesaid Contracted Quantity, than in that event, the Client can request GEPIL (Haryana), along with necessary justifications, for change in its Contracted Quantity twice in a year by providing at-least three months notice. The client shall still be liable to pay to GEPIL (Haryana) for the Minimum Quantity i.e. 90% of the Contracted Quantity till the expiry of three months notice period. The receipt of waste shall be monitored by GEPIL (Haryana) on quarterly basis and charges for deficit, if any shall be billed accordingly. In case of Force Majeure conditions at the Client's premises leading to reduction in annual waste generation, the liability to pay for minimum quantity shall be waived for the period of Force Majeure.
- 10.3 If the Client exceeds the annual Contracted Quantity of Hazardous Waste for disposal, then in that event Client covenants to increase the security deposit accordingly as per Clause No. 11.1.

11. BILLING AND PAYMENT OF CHARGES

- 11.1 The Client shall effect arrangement to make the payment of interest free Security Deposit of ₹ 60,688/- (Rupees Sixty thousand six hundred

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)

Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client



eighty eight Only) equivalent to Treatment & Disposal Charges of its Hazardous Waste for two months of Contracted Quantity that shall always be maintained at a value twice or more than the Transportation, Treatment & Disposal Charges for one vehicle load waste. The said amount of interest free Security Deposit will be refunded only on the termination of this Agreement after adjusting other / pending claims of GEPIL (Haryana) against the Client, if any.

- 11.2 In case of insufficient balance (Security Deposit) in the Client's account, GEPIL (Haryana) shall not send the waste collection vehicle.
- 11.3 GEPIL (Haryana) shall raise the bill against each waste disposal consignment (towards Transportation, Treatment & Disposal Charges) within three days of receipt of the waste at the TSDF Site. The client shall pay the bill within 30 days from the date of issue of bill.
- 11.4 The Client shall, upon receipt of the bill from GEPIL (Haryana), make full payment on or before the due date mentioned in the bill. In case of delayed payment by the Client, interest at the rate of 15% per annum shall be charged by GEPIL (Haryana) on delayed payments.
- 11.5 In case of default / dishonor in payment, GEPIL (Haryana) shall give seven days notice to Client, with information to HEMS, for settlement of outstanding dues by effecting the payment through DD/pay order along with interest else the Registration of Client shall be cancelled.
- 11.6 In the event of cancellation of Registration due to reasons mentioned under Clause 11.5, the client can re-register upon payment of balance dues along with interest through DD / Pay order apart from non-refundable re-registration charges in accordance with Clause 4.3.

12. **DEFAULT**

- 12.1 If the Client fails and /or defaults in the discharge of any of his obligation under the present Agreement, the GEPIL (Haryana) after serving seven days notice shall have discretion to (i) cancel the Client's Registration & refuse to accept Hazardous Waste of the Client for disposal, and (ii) notify to HEMS and HSPCB the name of the Client informing about such default.
- 12.2 In the event of Client committing any breach/violation of any condition of the present Agreement or any provision of Law / Act / Rules for the time being in force, GEPIL (Haryana) reserves its right to suspend / cancel the registration for such period as it deems fit with information to HEMS.
- 12.3 Where an offence under the Environment (Protection) Act 1986 or under the Rules framed thereunder, has been committed by the Client or is attributed to any negligence on the part of the Client which shall include its Director, Partner, Proprietor, Manager, Secretary, Officer etc. and if such Client is guilty of the offence or is liable to be prosecuted against and punished accordingly, no suit, prosecution or legal proceeding (s) shall lie against GEPIL (Haryana) for the offence committed by the Client.
- 12.4 GEPIL (Haryana) reserves its right to issue a show cause notice to the Client, with information to HEMS, if it is of the opinion that the Client has contravened the provisions of the present Agreement, requesting the Client to remedy the

Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

contravention within 15 days time. The said notice served shall specify the measures to be taken by the Client in remedying the said contravention.

13. INDEMNITIES

- 13.1 The Client shall be deemed to be in exclusive possession and control of the said Hazardous Waste and shall be fully liable and responsible for its arrangement, appurtenances and properties before completely loaded waste transport vehicle of GEPIL (Haryana) leaves the Client's premises.
- 13.2 Accordingly the Client hereby covenants and agrees to fully protect, indemnify and hold GEPIL (Haryana), its employees, agents and successors and assignees harmless against any and all claims, demands, action, suits, proceedings and judgment and any and all liabilities, costs, expenses, damages or losses arising out of or resulting from or incidental to or in connection therewith, which may be made out against successors and assignees or by third parties on account of damages or injury to property or persons or loss of life resulting from or arising out of the installation, presence, maintenance or operation or the intake arrangements, appurtenances and properties of the Client.
- 13.3 It is also agreed by and between the Parties hereto that GEPIL (Haryana) is not and shall not be liable in any manner whatsoever due to any negligence and for any reason or otherwise of the Client, in disposing its Hazardous Waste at the factory site of the Client or at any other place.

14. FORCE MAJEURE

- 14.1 In case of any Force Majeure event at the site of the Client, GEPIL (Haryana) shall not be saddled with any liability contingent or otherwise but in that case, it shall be the sole liability of the Client.
- 14.2 In case of any environmental risk arising during the performance of this Agreement at the TSDF site either due to Force Majeure event or due to circumstances beyond the reasonable control of the parties hereto, neither of the parties shall be liable for the consequences arising there from.
- 14.3 Both the parties hereto agree that due to change in any laws related to waste disposal mechanism / criteria or due to any directive of any Court or Authority, if GEPIL (Haryana) is to incur any additional financial burden consequent upon any alteration and / or modification in respect of land-filled waste, then, in that case the Client shall be liable to contribute for the same in proportion to its disposal of Hazardous Waste quantity in TSDF site. The actual burden shall be determined in consultation with HEMS.
- 14.4 Both the parties hereto agree that in any event of there being order in form of any injunction, stay or otherwise from any Court, HSPCB or any other Authority stopping the functioning of the Site or otherwise whereby GEPIL (Haryana) becomes unable to accept Hazardous Waste of the Client, GEPIL (Haryana) shall not be responsible or made responsible and / or be liable in any manner in that regard and that in such an eventuality, it shall be the responsibility of the Client to get the needful done in respect of disposal of its Hazardous Waste.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory

SIGNED & STAMP for & on
Behalf of Client

15. PREVIOUS CORRESPONDANCE

- 15.1 Save and except all discussions and meetings held and correspondence exchanged between GEPIL (Haryana) and the Client in respect of this Agreement and any decisions arrived at therein in the past and before coming into force of the present Agreement, no reference of such discussions with the Client for interpreting the present Agreement or otherwise shall be made. Whereas, Waste Data Sheet and Application Form, will be treated as part of this Agreement.

16. ARBITRATION

- 16.1 In case of any dispute or difference of opinion that may arise out of the present Agreement, the matter shall be settled by the parties by mutual negotiations to be concluded within 45 days from the date of intimation of existence of dispute or difference of opinion, as the case may be, by one party to the other party, failing which, the matter shall be settled through arbitration. Both the parties shall appoint an arbitrator each, and the two arbitrators so appointed, shall appoint the third arbitrator. The third arbitrator shall be the presiding arbitrator of the panel. The arbitration shall be as per the Arbitration & Conciliation Act, 1996. The venue of arbitration shall be Faridabad. The arbitration proceedings shall be recorded in English and the arbitration award shall be final and binding on both the parties.

17. LAWS GOVERNING THE AGREEMENT


- 17.1 The present Agreement shall be subject to Indian Laws, rules and regulations and notifications etc. issued under such laws.

18. AMENDMENTS:

- 18.1 GEPIL (Haryana) may, if required at any point of time make suitable change in the present Agreement in consultation with HEMS after serving a notice to the said Client.

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED & STAMP for & on
Behalf of GEPIL (Haryana)
Director/Authorised Signatory



SIGNED & STAMP for & on
Behalf of Client

19. JURISDICTION

19.1 Subject to the provisions of Clause 17 of this Agreement, the parties hereto mutually agree that the Civil Courts at Faridabad only shall have Jurisdiction for all the disputes/differences arising out of this Agreement.

20. The Company (including its affiliate/ associate / group companies) shall have exclusive rights to avail direct/indirect concession and reliefs as may be accruing on account of this agreement under any prevailing environmental laws/rules/regulations or as may be notified from time to time."

21. The addresses of the parties hereto, unless changed by written notification to be given at least 15 days in advance by registered letter prior to proposed date of change, shall be as follows:

- 1) M/s. Gujarat Enviro Protection & Infrastructure (Haryana) Pvt. Ltd.
Reg. 370, S V P Road, Shop 8, Plot 384, Cigaretwala Bldg.
Opp. CBI Prathna Samaj, Nr. Harkishandas
Hospital, Mumbai (Maharashtra)
- 2)

IN WITNESS WHEREOF the parties hereto acting through their properly constituted representatives have set their hands to cause this Agreement signed and executed in their respective names and on their behalf.

For and on behalf of
GEPIL (Haryana)

For and on Behalf of Client
(Sign & Stamp)

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

Name : Mr. Ashwani Kumar
Designation : (Site Head)
Address : Gepil (hr)

Director/Authorised Signatory

Witness

1. Name : Love Gautam.
Designation : Manager
Address : Gepil (hr)

2. Name :
Designation :
Address :

For Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED and STAMP for & on

Name :
Designation :
Address :

Witness:

1. Name :
Designation :
Address :

2. Name :
Designation :
Address :

SIGNED and STAMP for & on


Schedule - I

	Up to 400 M T	401 To 700 M T	701 To 1200 M T	Above 1200 M T
a. Fixed Landfill Charges (Rs. Per M T)	1888	1866	1844	1831
b. Solidification & Stabilisation Charges (Rs per M T)				
Waste : Additives				
1:0.10	2712	2492	2470	2441
1:0.20	3545	3476	3439	3403
1:0.30	4200	4120	4079	4037
1:0.40	4690	4599	4549	4505
1:0.50	5182	5082	5033	4975
1:0.60	5822	5709	5652	5589
1:0.70	6462	6326	6264	6199
1:0.80	7031	6891	6818	6749
1:0.90	7538	7389	7309	7239
1:1.00	8041	7879	7800	7716
c. Variable Incineration Charges (Rs. Per M T) - for a category of waste of a particular calorific value (in KCal/Kg) as per the ranges given below :				
Calorific value				
Upto 2500 KCal/kg	21955	21299	21082	20639
Greater than 2500 & up to 4500 KCal/kg	18041	17499	17324	16960
Greater than 4500 KCal/kg	15103	14640	14489	14198

Notes:-

Notes:-

1. The above rates are valid up to 31.03.2024. Thereafter the rates shall attract escalation @ 4% on annual basis.

1. The above rates are valid up to 31.03.2024. Thereafter the rates shall be revised.
 2. The above rates are for the specified type of waste. In case any waste that may require special treatment prior to its disposal, the rates for such waste shall be fixed on case to case basis depending on the characteristics of waste & treatment required in consultation with HEMS
 3. The rates for solidification and stabilization are for the waste that requires additives up to 1:1.0 ratios. If the waste requires additives more than 1:1, the rates shall be charged depending on the quantity of additives required to be added & its bulking factor to be decided in consultation with HEMS.
 4. The rates of Solidification & Stabilization as well as rates for incineration include landfill charges. No extra charges will be levied for residue disposal landfill. We will charge 5% CRF charges on total invoicing as per hems guideline in case of secured landfill and Solidification & Stabilization.
 5. The above rates are exclusive of any statutory levies which will be payable extra.
 6. Process for printing of TMO @ Rs. 10/- for each.
 7. Further, the charges in respect of preprocessing process where ever applicable, remains unchanged and are as under:
 - a) Charges for de-watering/ drying @ Rs. 1000/- MT on Hazardous waste having moisture content more than 40%.
 - b) Charges for neutralization @ Rs. 1000/- MT on Hazardous waste having pH between 4 and 12 and greater than 12.
 - c) We will also be charging neutralization @ Rs. 2000/- MT on Hazardous waste having pH lesser than 2.
- 
 For & on Behalf of Client

SIGNED for & on Behalf of GEPL (Haryana) Ltd.

Director/Authorised Signatory

SIGNED for & on Behalf of Client



**Schedule- II Transportation
Charges (Rs. per Km per MT)**

Revised Rates effective from 01-07-2023 (Fuel Price: 90.12 per liter)

One Way Distance	1 MT			3 MT			7 MT			9 MT			12 MT			16 MT & Above		
	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost	Fuel cost	Other cost	Total cost
Upto 75 KM	9.02	22.57	31.59	6.09	7.66	13.75	4.68	2.71	7.39	4.73	2.77	7.50	4.52	2.61	7.13	4.56	2.51	7.07
75 to 200 KM	9.03	16.06	25.09	5.25	5.71	10.96	4.09	1.93	6.02	4.15	1.99	6.14	3.96	1.82	5.78	4.01	1.73	5.74
>200 KM	9.03	15.15	24.18	5.25	4.99	10.24	4.09	1.59	5.68	4.15	1.65	5.80	3.96	1.57	5.53	4.01	1.47	5.48

Note:-

1. The above revised rates are based on current (revised) Diesel price of Rs. 90.12 per liter. The 'Fuel Cost' component of the rates shall be adjusted based on the rates of Diesel at Faridabad (Haryana) on quarterly basis i.e. 1st of April, July, Oct. & Jan. of each year.
2. The 'Other Cost' component of rates is firm up to 31.03.2024 and shall be subject to 3% escalation on annual basis thereafter.
3. The rates indicated above are for actual Distance of the Generator's unit from the TSDF site. The chargeable distance will be double the actual one way distance from TSDF site to the Generator's unit i.e. to & fro for full truck load. Minimum charges payable will be Truck Capacity in MT *Rate per km/MT*To & fro distance of Generator's unit from TSDF Site. **The Rates are Inclusive Toll Tax.**
4. The transportation rates are excluding loading, packing material, and any other statutory levies.
5. The maximum loading time and detention charges beyond the free loading time for different capacity vehicles are as given below:

Sr. No	Vehicle Capacity	Free Loading Time	Detention Charges/hr
(i)	1 MT	2 hrs	300/-
(ii)	3 MT	2 hrs	300/-
(iii)	7 MT	3 hrs	360/-
(iv)	9 MT	3 hrs	360/-
(v)	12 MT	4 hrs	400/-
(vi)	16 MT	4 hrs	400/-

for Gujarat Enviro Protection And
Infrastructure (Haryana) Pvt. Ltd.

SIGNED for & on Behalf of GEPIL (Haryana)

Director/Authorised Signatory

SIGNED for & on Behalf of Client

- Dashboard
- Register A New Site
- Registered Sites
- Upload Cctv Details
- Site Completion Status
- Generate Digital Certificate



Dust Pollution Control Self Assessment, HSPCB



Welcome User: Id: S D BIO MEDICAL WASTE MANAGEMENT COMPANY

Sign Out

Site List

Go Back

Show 10 entries Search:

Sr.No	Project Unique ID	Project Proponent Name	Site Unique ID	Site Name	Authorised Person Name	MobileNo	Email id	Registered On	Address	User id	Action
1	25HRY001759	S D BIO MEDICAL WASTE MANAGEMENT COMPANY	25ROH002023	S D BIO MEDICAL WASTE MANAGEMENT CO	Mr Sumit Nandal	9254251104	sdmk45@yahoo.com	2025-04-28 12:40:15	Plot no 79 Phase III Sector 30 D BMT HSRDC District Rohtak Haryana	Int79	View/Details Audit Sheet

Showing 1 to 1 of 1 entries